

Bibliography

- [1] H.J. Specht, *Experimental aspects of heavy ion physics at LHC energies*, CERN-90-10-v-2, http://doc.cern.ch/cernrep/1990/90-10/90-10_v2.html.
- [2] J. Schukraft, *A dedicated heavy ion experiment at the LHC*, ECFA-92-146.
- [3] ALICE collaboration, *Letter of intent for a large ion collider experiment*, CERN-LHCC-93-016, <http://cdsweb.cern.ch/record/290825>;
ALICE collaboration, *Debye screening in heavy-ion collisions with the ALICE detector*, CERN-LHCC-95-24, <http://cdsweb.cern.ch/record/303751>.
- [4] ALICE collaboration, *Technical proposal for A Large Ion Collider Experiment at the CERN LHC*, CERN-LHCC-95-71, <http://cdsweb.cern.ch/record/293391>.
- [5] ALICE collaboration, *The forward muon spectrometer of ALICE : addendum to the technical proposal for a Large Ion Collider experiment at the CERN LHC*, CERN-LHCC-96-032, <http://cdsweb.cern.ch/record/314011>.
- [6] ALICE collaboration, *ALICE: a transition radiation detector for electron identification within the ALICE central detector - an addendum to the Technical Proposal*, CERN-LHCC-99-013, <http://cdsweb.cern.ch/record/401988>.
- [7] ALICE collaboration, *ALICE electromagnetic calorimeter: addendum to the ALICE technical proposal*, CERN-LHCC-2006-014, <http://cdsweb.cern.ch/record/932676>.
- [8] ALICE collaboration, *ALICE high-momentum particle identification: Technical Design Report*, CERN-LHCC-98-019, <http://cdsweb.cern.ch/record/381431>.
- [9] ALICE collaboration, *Technical design report of the photon spectrometer*, CERN-LHCC-99-004, <http://cdsweb.cern.ch/record/381432>.
- [10] ALICE collaboration, *ALICE Zero-Degree Calorimeter (ZDC): Technical Design Report*, CERN-LHCC-99-005, <http://cdsweb.cern.ch/record/381433>.
- [11] ALICE collaboration, *ALICE Inner Tracking System (ITS): Technical Design Report*, CERN-LHCC-99-012, <http://edms.cern.ch/file/398932/1>.
- [12] ALICE collaboration, *ALICE dimuon forward spectrometer: Technical Design Report*, CERN-LHCC-99-022, <http://cdsweb.cern.ch/record/401974>; *ALICE dimuon forward*

- spectrometer: addendum to the Technical Design Report*, CERN-LHCC-2000-046, <http://cdsweb.cern.ch/record/494265>.
- [13] ALICE collaboration, *ALICE Photon Multiplicity Detector (PMD): Technical Design Report*, CERN-LHCC-99-032, <http://cdsweb.cern.ch/record/451099>; *ALICE Photon Multiplicity Detector (PMD): addendum to the technical design report*, CERN-LHCC-2003-038, <http://cdsweb.cern.ch/record/642177>.
 - [14] ALICE collaboration, *ALICE time projection chamber: Technical Design Report*, CERN-LHCC-2000-001, <http://cdsweb.cern.ch/record/451098>.
 - [15] ALICE collaboration, *ALICE Time-Of-Flight system (TOF): Technical Design Report*, CERN-LHCC-2000-012, <http://cdsweb.cern.ch/record/430132>; *ALICE Time-Of Flight system (TOF): addendum to the technical design report*, CERN-LHCC-2002-016, <http://cdsweb.cern.ch/record/545834>.
 - [16] ALICE collaboration, *ALICE transition-radiation detector: Technical Design Report*, CERN-LHCC-2001-021, <http://cdsweb.cern.ch/record/519145>.
 - [17] ALICE collaboration, *ALICE trigger data-acquisition high-level trigger and control system: Technical Design Report*, CERN-LHCC-2003-062, <http://cdsweb.cern.ch/record/684651>.
 - [18] ALICE collaboration, *ALICE forward detectors: FMD, TO and VO: Technical Design Report*, CERN-LHCC-2004-025, <http://cdsweb.cern.ch/record/781854>.
 - [19] ALICE collaboration, *ALICE computing: Technical Design Report*, CERN-LHCC-2005-018, <http://cdsweb.cern.ch/record/832753>.
 - [20] F. Carminati et al., *ALICE: physics performance report, volume I*, *J. Phys. G* **30** (2004) 1517.
 - [21] B. Alessandro et al., *ALICE: physics performance report, volume II*, *J. Phys. G* **32** (2006) 1295.
 - [22] L. Betev et al., *Definition of the ALICE coordinate system and basic rules for sub-detector components numbering*, ALICE-INT-2003-038, <http://edms.cern.ch/file/406391/1>.
 - [23] *Code E - Fire protection*, EDMS Id: 335728, <http://edms.cern.ch/file/335728/2.01/>; *Code F Rev. Radiation Protection*, EDMS Id: 335729, <http://edms.cern.ch/file/335729/2/>; *IS 5 Emergency stop*, EDMS Id: 335742, <http://edms.cern.ch/file/335742/2/>; *IS 37 Alarms and alarm systems*, EDMS Id: 335802, <http://edms.cern.ch/file/335802/4/>.
 - [24] A. Morsch and B. Pastircak, *Radiation in ALICE detectors and electronic racks*, ALICE Internal Note ALICE-INT-2004-017, <http://edms.cern.ch/file/358706/1>.
 - [25] B. Adeva et al., *The construction of the L3 experiment*, *Nucl. Instrum. Meth.* **A289** (1990) 35.

- [26] D.K. Swoboda et al., *Results from the ALICE dipole magnet commissioning, Proceedings of the 19th International Conference on Magnet Technology*, Genua Italy, *IEEE Trans. Appl.Sup.*, June 2006, *IEEE Trans. Appl. Supercond.* **16** (2006) 1696.
- [27] <http://alignment.hep.bradeis.edu/Devices/BCAM/Index.html>.
- [28] S. Coli et al., *The cooling system of silicon drift layers of the ALICE inner tracking system*, ALICE Internal Note ALICE-INT-2008-008.
- [29] O.N. Godisov et al., *Concept of the cooling system of the ITS for ALICE: Technical Proposals, Theoretical Estimates, Experimental Results, Proceedings of the 1st International Workshop on Electronics and Detectors Cooling*, Lausanne Switzerland (1994).
- [30] A. van den Brink et al., *Conductive cooling of SDD and SSD front-end chips for ALICE, Proceedings of the 7th Workshop on Electronics for LHC Experiments*, Stockholm Sweden (2001).
- [31] A. Morsch and B. Pastircak, *Radiation in ALICE detectors and electronics racks*, ALICE Internal Note ALICE-INT-2002-028, <https://edms.cern.ch/file/358706/1>.
- [32] F. Antinori et al., *Experience with a 30 cm² silicon pixel plane in CERN experiment WA97*, *Nucl. Instrum. Meth.* **A 360** (1995) 91;
G. Alexeev et al., *First results from the 1994 lead beam run of WA97*, *Nucl. Phys.* **A 590** (1995) 139.
- [33] F. Faccio et al., *Estimate of the Single Event Upset (SEU) rate in CMS, Proceedings of the 4th Workshop on Electronics for LHC Experiments*, Rome Italy (1998).
- [34] W. Snoeys et al., *Pixel readout electronics development for ALICE PIXEL VERTEX and LHCb RICH detector*, *Nucl. Instrum. Meth.* **A 465** (2001) 176, also in *Proceedings of the PIXEL 2000 Workshop*, Genova, Italy (2000), <http://cdsweb.cern.ch/record/516874>.
- [35] K. Wyllie et al., *Front-end pixel chips for tracking in ALICE and particle identification in LHCb, Proceedings of the PIXEL 2002 Conference*, SLAC Electronic Conference Proceedings, Carmel U.S.A. (2002).
- [36] P. Riedler et al., *Overview and status of the ALICE silicon pixel detector*, *Nucl. Instrum. Meth.* **A 565** (2006) 1.
- [37] P. Riedler et al., *The ALICE Silicon Pixel Detector: System, components and test procedures*, *Nucl. Instrum. Meth.* **A 568** (2006) 284.
- [38] See <http://morel.web.cern.ch/morel/cgi-bin/alice.htm> for a detailed description of the pixel bus structure and technologies.
- [39] A. Kluge et al., *The ALICE on-detector pixel PILOT system — OPS, Proceedings of the 7th Workshop on Electronics for LHC Experiments*, Stockholm, Sweden (2001) <http://cdsweb.cern.ch/record/528583>.

- [40] A. Kluge et al., *The read-out system of the ALICE pixel detector*, *Proceedings of the PIXEL 2002 Workshop*, Carmel, U.S.A. (2002).
- [41] A. Kluge, *The ALICE silicon pixel detector front-end and read-out electronics*, *Nucl. Instrum. Meth. A* **560** (2006) 67.
- [42] V. Manzari et al., *Assembly, construction and testing of the ALICE silicon pixel detector*, *Nucl. Instrum. Meth. A* **570** (2007) 241.
- [43] R. Santoro et al., *Status of the ALICE silicon pixel detector*, *Nucl. Instrum. Meth. A* **581** (2007) 330.
- [44] M. Caselle et al., *Assembly procedure of the ALICE silicon pixel detector module*, *Proceedings of the New Frontiers in Subnuclear Physics*, Milano Italy (2005).
- [45] S. Moretto et al., *The assembly of the first sector of the ALICE silicon pixel detector*, *J. Phys. Conf. Ser.* **41** (2006) 361.
- [46] A. Pepato et al., *The mechanics and cooling system of the ALICE silicon pixel detector*, *Nucl. Instrum. Meth. A* **565** (2006) 6.
- [47] F. Scarlassara et al., *Cooling tests for the silicon pixel detectors*, ALICE Internal Note ALICE-INT-2000-18, <https://edms.cern.ch/file/112976/1>.
- [48] I.A. Cali et al., *The ALICE silicon pixel detector control system and on-line calibration tools*, 2007 JINST **2** P04008.
- [49] J. Conrad et al., *Minimum bias triggers in proton-proton collisions with VZERO and pixel detectors*, ALICE Internal Note ALICE-INT-2005-025, <http://cdsweb.cern.ch/record/960438>.
- [50] *ALICE Central Trigger Processor, User Requirement Document (URD)*, <http://epweb2.ph.bham.ac.uk/user/pedja/alice/urd10.ps>.
- [51] G. Aglieri Rinella et al., *The level 0 pixel trigger system for the ALICE experiment*, 2007 JINST **2** P01007.
- [52] G. Aglieri Rinella, *Characterization of two Zarlink 1310nm 12 channels optical receiver modules*, ALICE Internal Note ALICE-INT-2006-025, <https://edms.cern.ch/document/793128/1>.
- [53] P. Riedler et al., *Recent test results of the ALICE silicon pixel detector*, *Nucl. Instrum. Meth. Phys. A* **549** (2005) 65.
- [54] P. Nilsson et al., *Test beam performance of the ALICE silicon pixel detector*, *Nucl. Instrum. Meth. A* **535** (2004) 424.
- [55] D. Elia et al., *Study of the ALICE Silicon Pixel Detector performance in a beam test at the SPS*, ALICE Internal Note ALICE-INT-2005-007, <https://edms.cern.ch/document/567094/1>.

- [56] D. Elia et al., *Sensor thickness dependence of the ALICE Silicon Pixel Detector performance*, ALICE Internal Note ALICE-INT-2005-011, <https://edms.cern.ch/file/591633/1>.
- [57] P. Riedler et al., *First results from the ALICE silicon pixel detector prototype*, *Nucl. Instrum. Meth. A* **501** (2003) 111.
- [58] A. Rashevsky et al., *Characteristics of the ALICE Silicon Drift Detector*, *Nucl. Instrum. Meth. A* **461** (2001) 133.
- [59] D. Nouais et al., *Drift velocity monitoring of SDDs using MOS charge injectors*, *Nucl. Instrum. Meth. A* **450** (2000) 338.
- [60] D. Nouais et al., *The ALICE silicon drift detector system*, *Nucl. Instrum. Meth. A* **501** (2003) 119, ALICE-PUB-2001-59, <http://cdsweb.cern.ch/record/531804>.
- [61] P. Cerello et al., *The detailed simulation of the ALICE Silicon Drift Detectors*, ALICE Internal Note ALICE-INT-2001-34, <https://edms.cern.ch/file/324376/1>.
- [62] E. Lopez Torres and P. Cerello, *Efficiency and spatial resolution improvement in the ALICE SDDs via cluster unfolding*, ALICE Internal Note ALICE-INT-2001-35, <https://edms.cern.ch/file/324334/2>.
- [63] A. Kolozhvari et al., *Measurement of the SDD two track resolution*, ALICE Internal Note ALICE-INT-2004-016.
- [64] H. Gulkanyan, S. Grigoryan and H. Karayan, *Exploiting light beams of different wavelength in the optical monitoring systems*, ALICE Internal Note ALICE-INT-2001-25, <https://edms.cern.ch/file/322121/5>.
- [65] G. Mazza et al., *A 32-channel, 0.25 μm CMOS ASIC for the readout of the silicon drift detectors of the ALICE experiment*, *IEEE Trans. Nucl. Sci.* **51** (2004) 1942.
- [66] A. Rivetti et al., *A low-power 10-bit ADC in a 0.25 μm CMOS: design considerations and test results*, *IEEE Trans. Nucl. Sci.* **48** (2001) 1225.
- [67] A. Rivetti et al., *The front-end system of the silicon drift detectors of ALICE*, *Nucl. Instrum. Meth. A* **541** (2005) 267.
- [68] S. Antinori et al., *Design and test of the final ALICE SDD CARLOS end ladder board*, *Proceedings of the 12th Workshop on Electronics for LHC and Future Experiments*, Valencia Spain (2006), <http://cdsweb.cern.ch/record/1027438>.
- [69] S. Antinori et al., *A rad-hard 2D-compressor ASIC for ALICE SDD experiment*, *Nucl. Instr. Meth. A* **524** (2004) 295.
- [70] P. Moreira et al., *A radiation tolerant gigabit serializer for LHC data transmission*, <http://edms.cern.ch/file/906036/1/>.

- [71] S. Antinori et al., *Design and test of the ALICE SDD data concentrator card CARLOSrx*, *IEEE Nucl. Sci. Symp. Conf. Rec.* **1** (2006) 316, also in *Proceedings of the 2006 IEEE Nuclear Science Symposium and Medical Imaging Conference*, San Diego U.S.A. (2006).
- [72] W. Carena et al., *Specification document for the potential degrader rods of the ALICE TPC field cage*, ALICE Internal Note ALICE-INT-2001-47, <https://edms.cern.ch/document/333020/1>.
- [73] L. Toscano et al., *Mass production testing of front-end ASICs for ALICE SDD system*, *Proceedings of the LECC05, 11th Workshop on Electronics for LHC Experiments*, Heidelberg Germany (2005), <http://cdsweb.cern.ch/record/920430>.
- [74] S. Beol   et al., *Production and assembly of the ALICE silicon drift detectors*, *Nucl. Instrum. Meth.* **A 570** (2007) 236.
- [75] E. Crescio et al., *Results from beam tests of large area silicon drift detectors*, *Nucl. Instrum. Meth.* **A 539** (2005) 250.
- [76] D. Nouais et al., *Correction of dopant concentration fluctuation effects in silicon drift detectors*, *Nucl. Instrum. Meth.* **A 461** (2001) 222.
- [77] M. Germain et al., *Irradiation of a silicon-strip detector for the ALICE experiment at LHC*, *Nucl. Instrum. Meth.* **A 482** (2002) 634; *Radiation damages in double-sided silicon strip module*, *Nucl. Instrum. Meth.* **A 485** (2002) 121;
I. Rachevskaia et al., *Test and quality control of double-sided silicon microstrip sensors for the ALICE experiment*, *Nucl. Instrum. Meth.* **A 530** (2004) 59;
L. Bosisio et al., *Experience with the test and qualification of double-sided silicon microstrip sensors for the ALICE inner tracking system*, *IEEE Nucl. Sci. Symp. Conf. Rec.* **3** (2006) 1429;
I. Rashevskaya et al., *Qualification of a large number of double-sided silicon microstrip sensors for the ALICE inner tracking system*, *Nucl. Instrum. Meth.* **A 572** (2007) 122.
- [78] J.R. Lutz et al., *Tab bonded SSD module for the STAR and ALICE trackers*, *Proceedings of the 5th Workshop on Electronics for LHC Experiments*, Snowmass Colorado U.S.A., CERN-ALICE-PUB-99-47, <http://cdsweb.cern.ch/record/426377>;
J.R. Lutz et al., *Front-end modules for ALICE SSD*, *Proceedings of the 9th Workshop on Electronics for LHC Experiments*, Amsterdam The Netherlands (2003), <http://cdsweb.cern.ch/record/720612>;
M. Bregant et al., *Assembly and validation of the SSD silicon microstrip detector of ALICE*, *Nucl. Instrum. Meth.* **A 566** (2006) 18;
M. Bregant et al., *The ALICE vertex detector: focus on the micro-strip layers*, *Nucl. Instrum. Meth.* **A 569** (2006) 29;
M. Bregant et al., *Assembly and validation of the ALICE silicon microstrip detector*, *Nucl. Instrum. Meth.* **A 570** (2007) 312.

- [79] C. Hu-Guo et al., *The HAL25 front-end chip for the ALICE silicon strip detectors*, *Proceedings of the 7th Workshop on Electronics for LHC Experiments*, Stockholm, Sweden (2001), <http://cdsweb.cern.ch/record/528581>;
Test and evaluation of HAL25: the ALICE SSD front-end chip, *Proceedings of the 8th Workshop on Electronics for LHC Experiments*, Colmar, France (2002) <http://cdsweb.cern.ch/record/593263>;
 C. Colledani, C. Hu and J.D. Berst, *HAL25 V3 user manual v0.1*, LEPSI-IN2P3-CNRS/ULP, Strasbourg France.
- [80] A.P. de Haas et al., *Very low mass microcables for the ALICE silicon strip detector*, *Proceedings of the 5th Workshop on Electronics for LHC Experiments*, Snowmass Colorado (2002), <http://cdsweb.cern.ch/record/426351>;
 V. Borshchov et al., *Aluminium microcable technology for the ALICE silicon strip detector: a status report*, *Proceedings of the 8th Workshop on Electronics for LHC Experiments*, Colmar France (2002), <http://cdsweb.cern.ch/record/593907>.
- [81] G.A. Feofilov et al., *Inner tracking system for ALICE conceptual designed mechanics, cooling and alignment*, *Proceedings of the CERN Workshop on Advanced Materials for High Precision Detectors*, Geneva Switzerland (1994);
 A. van den Brink et al., *A lightweight 3D support structure for precise tracking system*, *Proceedings of the 11th European Conference on Composite Materials*, Rhodes Greece (2004).
- [82] J. Manschot et al., *Cooling of the SSD*, ALICE Internal Note ALICE-INT-2003-021, <https://edms.cern.ch/document/387009/1>.
- [83] R. Kluit et al., *Design of ladder endcap electronics for the ALICE ITS SSD*, *Proceedings of the 7th Workshop for LHC and Future Experiments*, Stockholm Sweden (2001), <http://cdsweb.cern.ch/record/528423>;
 R. Kluit et al., *Realization of ladder EndCap electronics for the ALICE ITS SSD*, *Proceedings of the 10th Workshop for LHC and Future Experiments*, Boston U.S.A. (2004), <http://cdsweb.cern.ch/record/814045>.
- [84] M.J. Rossewij et al., *FEROM, the ALICE SSD read out system*, *Proceedings of the 9th Workshop on Electronics for LHC experiments*, Amsterdam The Netherlands (2003), <http://cdsweb.cern.ch/record/720606>.
- [85] M. Oinonen et al., *ALICE silicon strip detector module assembly with single-point TAB interconnections*, *Proceedings of the 11th Workshop on Electronics for LHC and Future Experiments*, Heidelberg Germany (2005), <http://cdsweb.cern.ch/record/920152>.
- [86] A. van den Brink et al., *Performance measurements of Storage Area Network in the CASPUR computing centre*, ALICE Internal Note ALICE-INT-2004-004, <https://edms.cern.ch/file/441371/1/ALICE-INT-2004-004.pdf>.
- [87] S. Plumeri et al., *In-beam tests of silicon strip detectors for the ALICE experiment at the LHC*, ALICE Internal Note ALICE-INT-2005-028;

- O. Sokolov et al., *In-beam performance of the ALICE silicon strip detectors*, *Nucl. Instrum. Meth. A* **562** (2006) 110;
- O. Sokolov, *Prototyping of silicon strip detectors for the inner tracker of the ALICE experiment*, Thesis Utrecht University, Utrecht The Netherlands (2006);
- S. Plumeri, *Characterisation des modules de detection silicium double-face a micropistes pour le trajeto graphe de l'experience ALICE*, Thesé de l'Université Louis Pasteur, Strasbourg, Octobre 2006.
- [88] D. Antończyk et al., *Performance studies with an ALICE TPC prototype*, *Nucl. Instrum. Meth. A* **565** (2006) 551.
- [89] C. Garabatos, *The ALICE TPC*, *Nucl. Instrum. Meth. A* **535** (2004) 197.
- [90] J. Wiechula et al., *High-precision measurement of the electron drift velocity in Ne-CO₂*, *Nucl. Instrum. Meth. A* **548** (2005) 582.
- [91] H. Stelzer et al., *The ALICE TPC readout chamber: from prototypes to series production*, ALICE Internal Note ALICE-INT-2003-017, <https://edms.cern.ch/document/384259/2>.
- [92] U. Frankenfeld et al., *The ALICE TPC inner readout chamber: results of beam and laser tests*, ALICE Internal Note ALICE-INT-2002-030, <https://edms.cern.ch/document/359622/1>.
- [93] R. Campagnolo, *Readout electronics for the ALICE time projection chamber*, *Proceedings of the HEP-EPS 2005*, Lisbon Portugal (2005), PoS (HEP2005) 373.
- [94] G. Renault, B.S. Nielsen, J. Westergaard and J.J. Gaardhøje, *The laser of the ALICE time projection chamber*, *Int. J. Mod. Phys. E* **16** (2007) 2413.
- [95] B. Mota et al., *A low-power 16-channel AD converter and digital processor ASIC*, *Proceedings of the ESSCIRC*, Florence Italy (2002).
- [96] R. Esteve Bosch et al., *The ALTRO chip: a 16-channel A/D converter and digital processor for gas detectors*, *IEEE Trans. Nucl. Sci.* **50** (2003) 2460.
- [97] B. Mota et al., *Performance of the ALTRO chip on data acquired on an ALICE TPC prototype*, *Nucl. Instrum. Meth. A* **535** (2004) 500.
- [98] C. Gonzáles Gutiérrez et al., *The ALICE TPC readout control unit*, *IEEE Nucl. Sci. Symp. Conf. Rec.* **1** (2005) 575.
- [99] M. Richter et al., *The control system for the front-end electronics of the ALICE time projection chamber*, *IEEE Trans. Nucl. Sci.* **53** (2006) 980.
- [100] C. Adler et al., *Electron/pion identification with ALICE TRD prototypes using a neural network algorithm*, *Nucl. Instrum. Meth. A* **552** (2005) 364.
- [101] A. Andronic et al., *Energy loss of pions and electrons of 1–6 GeV/c in drift chambers operated with Xe, CO₂(15%)*, *Nucl. Instrum. Meth. A* **519** (2004) 508.

- [102] A. Andronic et al., *Transition radiation spectra of electrons from 1 to 10 GeV/c in regular and irregular radiators*, *Nucl. Instrum. Meth. A* **558** (2006) 516.
- [103] C.W. Fabjan and W. Strucyinski, *Coherent emission of transition radiation in periodic radiators*, *Phys. Lett. B* **57** (1975) 483.
- [104] C. Adler et al., *Position reconstruction in drift chambers operated with Xe, CO₂ (15%)*, *Nucl. Instrum. Meth. A* **540** (2004) 140.
- [105] H.K. Soltveit et al., *Final version of the analog front-end electronics for the ALICE TPC-detector and ALICE TRD-detector*, *GSI Sci. Rep.* (2003) 244,
<http://www.gsi.de/informationen/wti/library/scientificreport2003/files/213.pdf>.
- [106] M. Gutfleisch, *Digitales frontend und preprozessor im TRAP1-chip des TRD-triggers für das ALICE-experiment am LHC*, Diploma Thesis, University of Heidelberg, HD-KIP-02-24, Heidelberg Germany (2002), available at
<http://www.kip.uni-heidelberg.de/ti/publications/diploma/2002MarcusGutfleisch.pdf>.
- [107] F. Lesser, *Entwurf und realisierung eines vierfach MIMD prozessor mikrochips für eine anwendung in der hochenergiephysik*, PhD Thesis, University of Heidelberg, HD-KIP-02-34, Heidelberg Germany (2002), available at
<http://www.kip.uni-heidelberg.de/ti/publications/phd/2002FalkLesser.pdf>.
- [108] A. Akindinov et al., *Particle identification with the ALICE TOF detector at very high particle multiplicity*, *Eur. Phys. J. C* **32** (2004) s165.
- [109] A. Akindinov et al., *Study of QGP signatures with the $\phi \rightarrow K^+ K^-$ signal in Pb Pb ALICE events*, *Eur. Phys. J. C* **45** (2006) 669.
- [110] E. Cerron-Zeballos et al., *A new type of resistive plate chamber: the multigap RPC*, *Nucl. Instrum. Meth. A* **374** (1996) 132.
- [111] A. Akindinov et al., *The multigap resistive plate chamber as a time-of-flight detector*, *Nucl. Instrum. Meth. A* **456** (2000) 16.
- [112] A. Akindinov et al., *Space charge limited avalanche growth in multigap resistive plate chambers*, *Eur. Phys. J. C* **34** (2004) s325.
- [113] A. Akindinov et al., *A study of the multigap RPC at the gamma irradiation facility at CERN*, *Nucl. Instrum. Meth. A* **490** (2002) 58;
A. Akindinov et al., *Operation of the multigap resistive plate chamber using a gas mixture free of flammable components*, *Nucl. Instrum. Meth. A* **532** (2004) 562;
A. Akindinov et al., *Latest results on the performance of the multigap resistive plate chamber used for the ALICE TOF*, *Nucl. Instrum. Meth. A* **533** (2004) 74;
A. Akindinov et al., *Study of gas mixtures and ageing of the multigap resistive plate chamber used for the Alice TOF*, *Nucl. Instrum. Meth. A* **533** (2004) 93.

- [114] A. Akindinov et al., *The MRPC detector for the ALICE time of flight system: final design and performances*, *Nucl. Phys.* **158** (Proc. Suppl.) (2006) 60;
A. Akindinov et al., *Quality assurance procedures for the construction of ALICE TOF detector*, *Nucl. Phys.* **B 158** (2006) 78.
- [115] F. Anghinolfi et al., *NINO: an ultra-fast and low-power front-end amplifier/discriminator ASIC designed for the multigap resistive plate chamber*, *Nucl. Instrum. Meth.* **A 533** (2004) 183.
- [116] M. Mota, J. Christiansen, S. Debieux, V. Ryzhov, P. Moreira and A. Marchioro, *A flexible multichannel high-resolution time-to digital converter ASIC*, *IEEE Trans. Nucl. Sci.* **2** (2000) 9/155;
J. Christiansen, *HPTDC High Performance Time to Digital Converter* version 2.2 (March 2004), for HPTDC version 1.3, available at https://edms.cern.ch/file/599848/2.2/hptdc_manual_ver2.2.pdf;
A. Akindinov et al., *Design aspects and prototype test of a very precise TDC system implemented for the Multigap RPC of the ALICE-TOF*, *Nucl. Instrum. Meth.* **A 533** (2004) 178.
- [117] F.Q. Wang and N. Xu, *Baryon phase-space density in heavy-ion collisions*, *Phys. Rev. C* **61** (2000) 021904.
- [118] Y. Andres et al., *R&D in ALICE: the CsI-based RICH high momentum particle identification detector*, *Eur. Phys. J. Direct.* **C 4** (2002) 25.
- [119] F. Piuz, *CsI-photocathode and RICH detector*, *Nucl. Instrum. Meth.* **A 371** (1996) 96;
E. Nappi, *CsI RICH detectors in high energy physics experiments*, *Nucl. Instrum. Meth.* **A 471** (2001) 18.
- [120] A. di Mauro et al., *The HMPID circulation system*, ALICE Internal Note ALICE-INT-2007-003 v.2, <https://edms.cern.ch/document/813849/2>.
- [121] A. Di Mauro, *A study of the angular resolution of the ALICE HMPID CsI-RICH detector*, CERN Internal Note CERN-EP-2000-058, <http://cdsweb.cern.ch/record/436404>.
- [122] H. Hoedlmoser et al., *Production technique and quality evaluation of CsI photocathodes for the ALICE/HMPID detector*, *Nucl. Instrum. Meth.* **A 566** (2006) 338.
- [123] H. Hoedlmoser et al., *Photo-current scanner system for in situ quality assessment of large area CsI photocathodes*, *Nucl. Instrum. Meth.* **A 566** (2006) 351.
- [124] J.C. Santiard and K. Marent, *The Gassiplex0.7-2 integrated front-end analog processor for the HMPID and the dimuon spectrometer of ALICE*, *Proceedings of the 5th Conference on Electronics for LHC Experiments*, Snowmass U.S.A. (1999), CERN Internal Note CERN-ALICE-PUB-2001-49, <http://cdsweb.cern.ch/record/523473>.

- [125] H. Witters, J.C. Santiard and P. Martinengo, *Dilogic-2: a sparse data scan readout processor for the HMPID detector of ALICE*, *Proceeding of the 6th Workshop on Electronics for LHC Experiments*, Krakow Poland (2000), CERN Internal Note CERN-ALICE-PUB-2000-010, <http://cdsweb.cern.ch/record/439170>.
- [126] M.Yu. Bogolyubsky, Yu.V. Kharlov and S.A. Sadovsky, *Direct photon identification with artificial neural network in the photon spectrometer PHOS*, *Nucl. Instrum. Meth. A* **502** (2003) 719.
- [127] D.V. Aleksandrov et al., *A high resolution electromagnetic calorimeter based on lead-tungstate crystals*, *Nucl. Instrum. Meth. A* **550** (2005) 169.
- [128] M. Ippolitov et al., *Studies of lead tungstate crystals for the ALICE electromagnetic calorimeter PHOS*, *Nucl. Instrum. Meth. A* **486** (2002) 121.
- [129] A.M. Blick et al., *A charged-particle detector based on proportional tubes with a segmented cathode and cathode readout*, *Instrum. Exp. Tech.* **44** (2001) 339.
- [130] M.Yu. Bogolyubsky et al., *Methods of coordinate reconstruction in gaseous detectors with cathode readout*, *Instrum. Exp. Tech.* **45** (2002) 327.
- [131] F.D. Brooks, *Development of organic scintillators*, *Nucl. Instrum. Meth.* **162** (1979) 477.
- [132] H. Gray, *The reconstruction of high-pT photons with the electromagnetic calorimeter of the ALICE experiment at the LHC*, PhD Thesis, University of Capetown South Africa (2005).
- [133] H. Muller et al., *Trigger region unit for the ALICE PHOS calorimeter*, *Proceedings of the 11th Workshop on Electronics for LHC and Future Experiments*, Heidelberg Germany (2005), CERN-OPEN-2006-012, <http://cdsweb.cern.ch/record/929391>.
- [134] A. Fernández et al., *Cosmic ray physics with the ALICE detectors*, *Czech. J. Phys.* **55** (2005) B801;
A. Fernández et al., *ACORDE a cosmic ray detector for ALICE*, *Nucl. Instrum. Meth. A* **572** (2007) 102.
- [135] O. Adriani et al., *The L3 + C detector, a unique tool-set to study cosmic rays*, *Nucl. Instrum. Meth. A* **488** (2002) 209.
- [136] CDF collaboration, A. Sansoni et al., *Quarkonia production at CDF*, *Nucl. Phys. A* **610** (1996) 373.
- [137] CDF collaboration, D. Acosta et al., *Measurement of the J/ψ meson and b -hadron production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1960\text{ GeV}$* , *Phys. Rev. D* **71** (2005) 032001.
- [138] F. Guerin et al., *ALICE Muon Trigger Performance*, ALICE Internal Note ALICE-INT-2006-002, <http://cdsweb.cern.ch/record/960471>.

- [139] A. Fassò et al., *FLUKA: present status and future developments*, *Proceedings of the IV International Conference on Calorimeters and their Applications*, World Scientific, Singapore (1994).
- [140] E.N. Donskoy et al., *VNIIEF status report* private communications.
- [141] R. Brun, F. Bruyant, M. Maire, A.C. McPherson and P. Zanmarini, *GEANT3 user guide*, CERN data handling division DD/EE/84-1 (1985),
<http://wwwinfo.cern.ch/asdoc/geantold/GEANTMAIN.html>;
 M. Goossens et al., *GEANT detector description and simulation tool*, CERN program library long write-up W5013 (1994), <http://cdsweb.cern.ch/record/1073159>.
- [142] X.N. Wang and M. Gyulassy, *HIJING: a Monte Carlo model for multiple jet production in pp, pA and AA collisions*, *Phys. Rev. D* **44** (1991) 3501;
 M. Gyulassy and X.N. Wang, *HIJING 1.0: a Monte Carlo program for parton and particle production in high-energy hadronic and nuclear collisions*, *Comput. Phys. Commun.* **83** (1994) 307;
 The code can be found in <http://www-nsdth.lbl.gov/~xnwang/hijing>.
- [143] R. Guernane et al., *Machine induced Background in the ALICE Muon Trigger System in p-p Data taking*, ALICE Internal Note ALICE-INT-2003-041,
<https://edms.cern.ch/document/407450/1>.
- [144] S. Grigoryan et al., *Contribution of Secondary Pi/K Mesons, produced in the Absorber, into the Dimuon Background in Pb-Pb Collisions*, ALICE Internal Note ALICE-INT-2002-06,
<https://edms.cern.ch/document/338221/2>.
- [145] A. Rimai et al., *Spatial resolution studies in cathode pad and in cathode strip chambers*, ALICE Internal Note ALICE-INT-1997-23, <https://edms.cern.ch/document/106754/1.0>.
- [146] R. Wurzinger, Y. Le Bornec and N. Willis, *MonteCarlo studies on cathode strip / pad chambers for the ALICE di-muon arm*, ALICE Internal Note ALICE-INT-1997-10,
<https://edms.cern.ch/document/106932/1.0>.
- [147] G. Chabratova et al., *Development of the Kalman filter for tracking in the forward muon spectrometer of ALICE*, ALICE Internal Note, ALICE-INT-2003-002,
<https://edms.cern.ch/document/371480/1>.
- [148] A. Zintchenko et al., *A new approach to cluster finding and hit reconstruction in muon chambers of ALICE*, ALICE Internal Note, ALICE-INT-2003-006,
<https://edms.cern.ch/document/373848/1>.
- [149] J. Peyré, B. Genolini and J. Pouthas, *A full-scale prototype for the tracking chambers of the ALICE muon spectrometer. Part I: mechanics, anode and cathode plane design, assembly and construction*, ALICE Internal Note ALICE-INT-1998-28,
<https://edms.cern.ch/document/106760/1.0>;

- M. Arba et al., *Assembly of a large slat chamber prototype for the ALICE Muon Spectrometer*, ALICE Internal Note ALICE-INT-2002-17, <https://edms.cern.ch/document/347613/1>.
- [150] L. Kharmandarian, *Etude de chambres de trajectoire du spectrometre dimuon de l'experience ALICE aupres du LHC*, PhD Thesis PHD-IPNO-T-00-02, Institut de Physique Nucleaire (IPN), Orsay France (1999);
M. Boudjemline et al., *Results of Slat CPC Prototype Test for ALICE Dimuon Spectrometer*, ALICE Internal Note ALICE-INT-2002-023, <https://edms.cern.ch/document/350787/1>.
- [151] N. Willis et al., *Tests and simulations results on a mockup of the ALICE Dimuon tracking chambers*, ALICE Internal Note ALICE-INT-2003-030, <https://edms.cern.ch/document/404445/2>.
- [152] Open Source Instruments, <http://www.opensourceinstruments.com>.
- [153] R. Tieulent et al., *The geometry monitoring system of the ALICE dimuon spectrometer — overview*, ALICE Internal Note ALICE-INT-2005-009, <https://edms.cern.ch/document/588193/1>.
- [154] P. Pillot et al., *The geometry monitoring system of the ALICE Dimuon Spectrometer — simulation results*, ALICE Internal Note ALICE-INT-2005-020, <https://edms.cern.ch/document/652635/1>.
- [155] R. Tieulent et al., *Results from the test bench of the geometry monitoring system of the ALICE muon spectrometer*, ALICE Internal Note ALICE-INT-2007-010, <https://edms.cern.ch/document/831890/1>.
- [156] P. Courtat et al., *The electronics of ALICE dimuon tracking chambers*, ALICE Internal Note ALICE-INT-2004-026.
- [157] A. Charpy et al., *Test of the tracking readout electronics of the dimuon forward spectrometer*, ALICE Internal Note ALICE-INT-2006-016, <https://edms.cern.ch/document/771807/1>.
- [158] M.P. Comets et al., *Results of the in-beam tests performed with the quadrant 0 of station 1 for the ALICE dimuon arm*, ALICE Internal Note ALICE-INT-2003-035, <https://edms.cern.ch/document/406119/3>.
- [159] D. Guez, *Modélisation et simulation des paramètres critiques de la première station du spectromètre dimuons d'ALICE*, PhD Thesis, PHD-IPNO-T-03-05, Institut de Physique Nucleaire (IPN), Orsay France (2003).
- [160] C. Suire et al., *Radiation studies for the readout electronic of the ALICE dimuon forward spectrometer*, ALICE Internal Note ALICE-INT-2005-008, <https://edms.cern.ch/document/582311/1>.

- [161] C. Suire et al., *Radiation studies for the ALICE dimuon forward spectrometer tracking DAQ*, ALICE Internal Note ALICE-INT-2007-001.
- [162] R. Arnaldi et al., *Design and performance of the ALICE muon trigger system*, *Nucl. Phys.* **158** (Proc. Suppl.) (2006) 21.
- [163] G. Blanchard, P. Crochet and P. Dupieux, *The local trigger electronics of the ALICE dimuon trigger*, ALICE Internal Note ALICE-EN-2003-010.
- [164] R. Arnaldi et al., *Spatial resolution of RPC in streamer mode*, *Nucl. Instrum. Meth.* **A 490** (2002) 51, and references therein.
- [165] R. Arnaldi et al., *Overview on production and first results of the tests on the RPCs for the ALICE dimuon trigger*, *Nucl. Phys.* **158** (Proc. Suppl.) (2006) 83.
- [166] R. Arnaldi et al., *Ageing tests on the low-resistivity RPC for the ALICE dimuon arm*, *Nucl. Instrum. Meth.* **A 508** (2003) 106.
- [167] R. Arnaldi et al., *Beam and ageing tests with a highly-saturated avalanche gas mixture for the ALICE pp data taking*, *Nucl. Phys.* **158** (Proc. Suppl.) (2006) 149.
- [168] R. Arnaldi et al., *A dual threshold technique to improve the time resolution of resistive plate chambers in streamer mode*, *Nucl. Instrum. Meth.* **A 457** (2001) 117.
- [169] P. Gorodetzky et al., *The zero degree hadronic sampling calorimeter for the NA50 experiment at the CERN SPS*, *Proceedings of the 4th International Conference on Calorimetry in High Energy Physics*, World Scientific, Singapore (1994);
G. Anzivino et al., *Quartz fibers: a new calorimetry for multi-TeV, very forward physics*, *Nucl. Phys.* **44** (Proc. Suppl.) (1995) 168;
O. Ganel and R. Wigmans, *Quartz fiber calorimetry for LHC experiments*, *Nucl. Instrum. Meth.* **A 365** (1995) 104.
- [170] R. Arnaldi et al., *The Zero Degree Calorimeters or the ALICE experiment*, *Proceedings of the 8th International Conference on Calorimetry in High Energy Physics*, Lisbon Portugal (1999).
- [171] R. Arnaldi et al., *Performances of Zero Degree Calorimeters for the ALICE experiment*, *Nucl. Instrum. Meth.* **A 456** (2001) 248.
- [172] P. Gorodetzky et al., *Radiation physics and chemistry*, Pergamon Press, Oxford U.K. (1992); P. Gorodetzky et al., *Quartz fiber calorimetry*, *Nucl. Instrum. Meth.* **A 361** (1995) 161.
- [173] R. Arnaldi et al., *The quartz-fiber zero-degree calorimeter for the NA50 experiment at CERN SPS*, *Nucl. Instrum. Meth.* **A 411** (1998) 1.
- [174] R. Arnaldi et al., *The neutron Zero Degree Calorimeter for the ALICE experiment*, *Nucl. Instrum. Meth.* **A 564** (2006) 235.

- [175] R. Arnaldi et al., *Test beam results on the proton Zero Degree Calorimeter for the ALICE experiment*, *Proceedings of the 12th International Conference on Calorimetry in High Energy Physics*, Chicago Illinois U.S.A. (2006),
- [176] N. De Marco et al., *Performance of the Zero Degree Calorimeters for the ALICE experiment*, *IEEE Trans. Nucl. Sci.* **54** (2007) 567.
- [177] C. Oppedisano et al., *Centrality measurement in the ALICE experiment with the Zero Degree Calorimeters*, PhD Thesis, Università degli Studi di Torino, ALICE Internal Note ALICE-INT-2002-08, <https://edms.cern.ch/document/339254/1>.
- [178] C. Oppedisano et al., *An electromagnetic calorimeter prototype for the ALICE experiment*, *Proceedings of the International Europhys. Conference on High Energy Physics (HEP 2001)*, Budapest Hungary (2001) [PoS (hep2001) 257].
- [179] T. Sjöstrand, S. Mrenna and P. Skands, *PYTHIA 6.4 physics and manual*, *JHEP* **05** (2006) 026.
- [180] Ideas ASA, *VA1_prime2*, <http://www.ideas.no/products/ASICs/VAfamily.html>.
- [181] A. Yokoyama et al., *Radiation-hardness of VA1 with sub-micron process technology*, *IEEE Trans. Nucl. Sci.* **48** (2001) 440.
- [182] R. Esteve Bosch et al., *The ALTRO chip: A 16-channel A/D converter and digital processor for gas detectors*, *IEEE Trans. Nucl. Sci.* **50** (2003) 2460.
- [183] C.H. Christensen et al., *The ALICE forward multiplicity detector*, *Int. J. Mod. Phys. E* **16** (2007) 2432.
- [184] J.R. Alfaro et al., *Rejection of beam gas interactions in pp collisions and timing requirements*, ALICE Internal Note ALICE-INT-2004-021, <https://edms.cern.ch/document/494149/1>.
- [185] B. Cheynis et al., *For a V0 detector. . .*, ALICE Internal Note ALICE-INT-2000-29, <https://edms.cern.ch/document/303914/1>.
- [186] B. Rapp, *Production de dimuons en réactions pp et PbPb avec ALICE: le détecteur V0 et les résonances de basse masse*, Thesis, Lyon University, Lyon France (2004), <http://lyoinfo.in2p3.fr/alice/BR/these-rapp.pdf>,
- [187] B. Cheynis et al., *Test results for the V0 detector in ALICE*, ALICE Internal Note ALICE-INT-2003-040, <https://edms.cern.ch/document/407398/2>.
- [188] J.R. Alfaro et al., *Simulation of the V0A detector*, ALICE Internal Note ALICE-INT-2006-018, <https://edms.cern.ch/document/773744/1>.
- [189] B. Cheynis et al., *Radiation effects on ALICE V0 detector components*, *Nucl. Inst. Meth. A* **569** (2006) 732.

- [190] M. Mota and J. Christiansen, *A four channel, self-calibrating, high resolution, time to digital converter*, *Proceedings of the ICECS98*, CERN-EP-98-049
<http://cdsweb.cern.ch/record/354075>.
- [191] B. Cheynis et al., *Radiation effects on V0 detector elements*, ALICE Internal Note ALICE-INT-2005-052, <https://edms.cern.ch/document/684409/1>.
- [192] V. Grigoriev et al., *A start trigger detector for the ALICE spectrometer*, *Instrum. Exp. Tech.* **43** (2000) 750.
- [193] M. Bondila et al., *ALICE T0 detector*, *IEEE Trans. Nucl. Sci.* **52** (2005) 1705.
- [194] V. Grigoriev et al., *Beam tests of the second prototype of a Cherenkov counter for the ALICE T0 detector*, ALICE Internal Note ALICE-INT-2000-17,
<https://edms.cern.ch/document/111907/1>.
- [195] V. Grigoriev et al., *ALICE T0 detector based on Cherenkov counters: R&D principal results*, ALICE Internal Note ALICE-INT-2001-38,
<https://edms.cern.ch/document/325382/1>.
- [196] D. Evans et al., *ALICE trigger system*, *Proceedings of the 10th Workshop on Electronics for LHC and Future Experiments*, Boston U.S.A. (2004), CERN 2004-010,
<http://cdsweb.cern.ch/record/814257>.
- [197] D. Evans et al., *The ALICE central trigger processor*, *Proceedings of the 11th Workshop on Electronics for LHC and Future Experiments*, Heidelberg Germany (2005), CERN 2005-038, <http://cdsweb.cern.ch/record/921038>.
- [198] A. Bhasin et al., *Recent developements on the ALICE central trigger processor*, *Proceedings of the 12th Workshop on Electronics for LHC and Future Experiments*, Valencia Spain (2006), CERN 2007-001, <http://cdsweb.cern.ch/record/1027489>.
- [199] B.G. Taylor, *Timing distribution at the LHC*, *Proceedings of the 8th Workshop on Electronics for LHC Experiments*, Colmar France (2002), CERN-2002-003,
<http://cdsweb.cern.ch/record/592719>.
- [200] S. Baron and A. Monera Martínez, *Status of the TTC upgrade*, *Proceedings of the 12th workshop on electronics for LHC and future experiments*, Valencia Spain (2006), CERN-2007-001, <http://cdsweb.cern.ch/record/1027471>
- [201] C. Gaspar, M. Dönszelmann and P. Charpentier, *DIM, a portable, light weight package for information publishing, data transfer and inter-process communication*, *Comput. Phys. Commun.* **140** (2001) 102.
- [202] P.C. Burkimsher, *JCOP experience with a commercial SCADA products, PVSS*, *Proceedings of the ICALEPCS 2003*, Gyeongju Korea (2003),
<http://cdsweb.cern.ch/record/924942>.

- [203] G. Paic et al., *Physics requirements for the ALICE DAQ system*, ALICE Internal Note ALICE-INT-2000-30, <https://edms.cern.ch/document/250015/2>.
- [204] G. Rubin, *ALICE Detector Data Link (DDL) — hardware guide for the front-end designers*, ALICE Internal Note ALICE-INT-1998-021, <https://edms.cern.ch/document/112129/1.4>.
- [205] E. Denes, *ALICE detector data link, pRORC library routines, version 2.2*, ALICE Internal Note ALICE-INT-2002-09, <https://edms.cern.ch/document/340457/3>.
- [206] F. Carena et al., *PCI-based readout receiver card in the ALICE DAQ system*, *Proceedings of the 8th Workshop on Electronics for LHC Experiments (LECC)*, Colmar France (2002), CERN-2002-003, <http://cdsweb.cern.ch/record/594314>.
- [207] W. Carena et al., *PCI based read-out receiver card in the ALICE DAQ system*, *Proceedings of the 18th JINR International Symposium on Nuclear Electronics and Computing*, Varna Bulgaria (2001).
- [208] P. Buncic et al., *The architecture of the AliEn system*, *Proceedings of the Computing in High Energy Physics (CHEP 2004)*, Interlaken, Switzerland (2004), <http://cdsweb.cern.ch/record/865533>.
- [209] CERN ALICE DAQ Group, *ALICE DAQ and ECS user's guide*, ALICE Internal Note ALICE-INT-2005-015, <http://cdsweb.cern.ch/record/960457>.
- [210] J.P. Baud et al., *ALICE data challenge III*, ALICE Internal Note ALICE-INT-2001-36, <https://edms.cern.ch/document/336659/1>.
- [211] Ö. Çobanoğlu et al., *Development of an on-Line data quality monitor for the relativistic heavy-ion experiment ALICE*, *Proceedings of the IEEE RT2005, Real Time Systems conference*, Stockholm Sweden (2005), <http://dx.doi.org/10.1109/RTC.2005.1547409>.
- [212] Ö. Çobanoğlu et al., *The ALICE-LHC online data quality monitoring framework: present and future*, *Proceedings of the IEEE RT2007, Real Time Systems conference*, Fermilab, Batavia Illinois U.S.A. (2007).
- [213] F. Roukoutakis et al., *The ALICE-LHC online data quality monitoring framework*, *Proceedings of the Computing in High Energy Physics (CHEP 2007)*, Victoria BC Canada (2007), <http://cdsweb.cern.ch/record/1066450>.
- [214] G. Di Marzo et al., *Specification and simulation of the ALICE DAQ system*, ALICE Internal Note ALICE-INT-2002-01, <https://edms.cern.ch/document/333766/2>.
- [215] T. Anticic et al., *Trigger and DAQ simulation*, ALICE Internal Note ALICE-INT-2003-001.
- [216] T. Anticic et al., *Specification and simulation of the ALICE trigger and DAQ system*, *Proceedings of the Computing in High Energy Physics (CHEP 2001)*, IHEF Beijing China (2001).
- [217] Ptolemy project, <http://ptolemy.eecs.berkeley.edu/ptolemyclassic/pt0.7.1/index.htm>.

- [218] A. Vestbø et al., *The ALICE high level trigger*, *J. Phys. G* **30** (2004) s1097.
- [219] ALICE collaboration, G. Grastveit et al., *FPGA coprocessor for the ALICE high level trigger*, *Proceedings of the CHEP03, 2003 Conference for Computing in High energy and Nuclear Physics*, La Jolla, California U.S.A. (2003) [http://cdsweb.cern.ch/record/619518, \[physics/0306017\]](http://cdsweb.cern.ch/record/619518, [physics/0306017]).
- [220] T.M. Steinbeck, *A modular and fault-tolerant data transport framework*, PhD Thesis, Ruprecht-Karls-University Heidelberg, cs.DC/0404014.
- [221] T.M. Steinbeck et al., *An object-oriented network-transparent data transportation framework*, *IEEE Trans. Nucl. Sci.* **49** (2002) 455.
- [222] T.M. Steinbeck et al., *New experiences with the ALICE high level trigger data transport framework*, <http://cdsweb.cern.ch/record/865834>, *Proceedings of the Computing in High Energy Physics (Chep 2004)*, Interlaken, Switzerland (2004).
- [223] T.M. Steinbeck et al., *A framework for building distributed data flow chains in clusters*, in *Applied Parallel Computing*, Springer-Verlag Berlin Heidelberg Germany (2002), http://dx.doi.org/10.1007/3-540-48051-X_45.
- [224] M. Richter et al., *High level trigger applications for the ALICE experiment*, *IEEE Trans. Nucl. Sci.* **55** (2008) 133.
- [225] S.R. Bablok et al., *ALICE high level trigger interfaces and data organisation*, *Proceedings of the Computing in High Energy Physics (CHEP 2006)*, Mumbai, India (2006).
- [226] A. Vestbø, *Pattern recognition and data compression for the ALICE high level trigger*, PhD Thesis, Institute for Physics and Technology, University of Bergen, Bergen Norway (2004).
- [227] R. Bramm et al., *Online pattern recognition for the ALICE high level trigger*, *Nucl. Instrum. Meth. A* **502** (2003) 443.
- [228] V. Lindenstruth et al., *Real-time TPC analysis with the ALICE high-level trigger*, *Nucl. Instrum. Meth. A* **534** (2004) 47.
- [229] V. Lindenstruth et al., *Online pattern recognition for the ALICE high level trigger*, *IEEE Trans. Nucl. Sci.* **51** (2004) 383.
- [230] T. Alt et al., *Benchmarks and implementation of the ALICE high level trigger*, *IEEE Trans. Nucl. Sci.* **53** (2006) 854.
- [231] C. Cheshkov, *Fast Hough-transform track reconstruction for the ALICE TPC*, *Nucl. Instrum. Meth. A* **566** (2006) 35.
- [232] C. Adler et al., *The STAR level-3 trigger system*, *Nucl. Instrum. Meth. A* **499** (2003) 778.
- [233] F. Manso, *A first algorithm for a dimuon high level trigger*, ALICE Internal Note ALICE-INT-2002-04, <https://edms.cern.ch/document/337419/1>.

- [234] B. Becker et al., *ALICE dimuon high-level trigger: project review*, ALICE Internal Note ALICE-INT-2007-022, <https://edms.cern.ch/document/878756/1>.
- [235] D. Röhrich and A. Vestbø, *Efficient TPC data compression by track and cluster modeling*, *Nucl. Instrum. Meth. A* **566** (2006) 668.
- [236] J. Berger et al., *TPC data compression*, *Nucl. Instrum. Meth. A* **489** (2002) 406.
- [237] *The worldwide LHC computing grid project*, <http://lcg.web.cern.ch/LCG/>.
- [238] *Models of networked analysis at regional centres*, <http://www.cern.ch/MONARC/>.
- [239] I. Foster and C. Kesselmann, *The grid: blueprint for a new computing infrastructure*, Morgan Kaufmann Publishers, U.S.A. (1999).
- [240] P. Saiz et al., *AliEn — ALICE environment on the GRID*, *Nucl. Instrum. Meth. A* **502** (2003) 437;
AliEn home page, <http://alien.cern.ch/>.
- [241] *A simple object access protocol*, <http://www.soaplite.com>.
- [242] *Condor classified advertisements*, <http://www.cs.wisc.edu/condor/classad/>.
- [243] *The Scalla software suite: xrootd/olbd*, <http://xrootd.slac.stanford.edu>.
- [244] <http://egee-jra1-dm.web.cern.ch/egee-jra1-dm/FTS/>.
- [245] D. Feichtinger and A.J. Peters, *Authorization of data access in distributed storage systems*, *Proceedings of the 6th IEEE/ACM international workshop on grid computing* Seattle, U.S.A. (2005), <http://dx.doi.org/10.1109/GRID.2005.1542739>.
- [246] *A realisation of distributed analysis for LHC*, <http://lcg.web.cern.ch/LCG/peb/arda/Default.htm>.
- [247] I.C. Legrand et al., *MonALISA: an agent based, dynamic service system to monitor, control and optimize grid based applications*, *Proceedings of the CHEP 2004 conference*, Interlaken, Switzerland (2004), <http://cdsweb.cern.ch/record/865735>.
- [248] *Advanced resource connector*, <http://www.nordugrid.org/middleware/>.
- [249] *Open science grid*, <http://www.opensciencegrid.org/>.
- [250] *The ALICE experiment offline project*, <http://www.cern.ch/ALICE/Projects/offline/aliroot/Welcome.html>.
- [251] *An object-oriented data analysis framework*, <http://root.cern.ch>.
- [252] P. Billoir, *Track fitting with multiple scattering: a new method*, *Nucl. Instrum. Meth. A* **225** (1984) 352;
P. Billoir et al., *Track element merging strategy and vertex fitting in complex modular detectors*, *Nucl. Instrum. Meth. A* **241** (1985) 115;