

# Bibliography

- [1] TOTEM collaboration, V. Berardi et al., *Total cross-section, elastic scattering and diffraction dissociation at the Large Hadron Collider at CERN: TOTEM technical design report*, CERN-LHCC-2004-002, <http://cdsweb.cern.ch/record/704349>; *Addendum* CERN-LHCC-2004-020, <http://cdsweb.cern.ch/record/743753>.
- [2] THE CMS AND TOTEM DIFFRACTIVE AND FORWARD PHYSICS WORKING GROUP, M. Albrow et al., *Prospects for diffractive and forward physics at the LHC*, CERN-LHCC-2006-039, <http://cdsweb.cern.ch/record/1005180>.
- [3] CDF collaboration, F. Abe et al., *Measurement of the antiproton-proton total cross section at  $\sqrt{s} = 546$  and 1800 GeV*, *Phys. Rev. D* **50** (1994) 5550.
- [4] E710 collaboration, N.A. Amos et al., *Measurement of the  $\bar{p}p$  total cross section at  $\sqrt{s} = 1.8$  TeV*, *Phys. Rev. Lett.* **63** (1989) 2784;  
E710 collaboration, N.A. Amos et al., *A luminosity independent measurement of the  $\bar{p}p$  total cross-section at  $\sqrt{s} = 1.8$  TeV*, *Phys. Lett. B* **243** (1990) 158;  
E811 collaboration, C. Avila et al., *A measurement of the proton-antiproton total cross-section at  $\sqrt{s} = 1.8$  TeV*, *Phys. Lett. B* **445** (1999) 419;  
E 811 collaboration, C. Avila et al., *The ratio,  $\rho$ , of the real to the imaginary part of the  $\bar{p}p$  forward elastic scattering amplitude at  $\sqrt{s} = 1.8$  TeV*, *Phys. Lett. B* **537** (2002) 41.
- [5] J.R. Cudell et al., *Benchmarks for the forward observables at RHIC, the Tevatron-Run II, and the LHC*, *Phys. Rev. Lett.* **89** (2002) 201801.
- [6] TOTEM collaboration, K. Eggert et al., *TOTEM Physics, Proceedings of 17<sup>th</sup> rencontre de Blois: 11<sup>th</sup> International Conference on Elastic and Diffractive Scattering*, Château de Blois France (2005), hep-ex/0602025.
- [7] M.M. Islam, R.J. Luddy and A.V. Prokudin, *Near forward pp elastic scattering at LHC and nucleon structure*, *Int. J. Mod. Phys. A* **21** (2006) 1;  
C. Bourrely, J. Soffer and T.-T. Wu, *Impact-picture phenomenology for  $\pi^\pm p, K^\pm p$  and  $p\bar{p}, \bar{p}p$  elastic scattering at high energies*, *Eur. Phys. J. C* **28** (2003) 97;  
V.A. Petrov, E. Predazzi and A. Prokudinl, *Coulomb interference in high-energy pp and  $\bar{p}p$  scattering*, *Eur. Phys. J. C* **28** (2003) 525;  
M.M. Block, E.M. Gregores, F. Halzen and G. Pancheri, *Photon proton and photon photon scattering from nucleon nucleon forward amplitudes*, *Phys. Rev. D* **60** (1999) 054024.

- [8] G.B. West and D. Yennie, *Coulomb interference in high-energy scattering*, *Phys. Rev.* **172** (1968) 1413.
- [9] V. Kundrát, J. Kašpar and M. Lokajíček, *To the theory of high-energy elastic nucleon collisions*, *Proceedings of the Blois'07/EDS07 Workshop on Elastic and Diffractive Scattering*, Hamburg Germany (2007), arXiv:0712.1503.
- [10] U. Amaldi et al., *The energy dependence of the proton proton total cross-section for center-of-mass energies between 23 and 53 GeV*, *Phys. Lett.* **B 44** (1973) 112.
- [11] TOTEM collaboration, M. Deile et al., *Tests of a Roman Pot prototype for the TOTEM experiment*, *Proceedings of the 2005 Particle Accelerator Conference*, Knoxville, Tennessee U.S.A. (2005), arXiv:physics/0507080v1 [physics.ins-det];  
M. Deile et al., *Beam Coupling Impedance Measurement and Mitigation for a TOTEM Roman Pot*, *Proceedings of the 11th European Particle Accelerator Conference (EPAC08)*, Genova, Italy (2008), arXiv:0806.4974v1 [physics.ins-det].
- [12] V. Avati et al., *First test of cold edgeless silicon microstrip detectors*, *Nucl. Instrum. Meth. A* **518** (2004) 264.
- [13] G. Ruggiero et al., *Planar edgeless silicon detectors for the TOTEM experiment*, *IEEE Trans. Nucl. Sci.* **52** (2005) 1899.
- [14] E. Noschis, V. Eremin and G. Ruggiero, *Simulations of planar edgeless silicon detectors with a current terminating structure*, *Nucl. Instrum. Meth. A* **574** (2007) 420.
- [15] ISE Integrated Systems Engineering AG release 6, online at [www.ise.ch](http://www.ise.ch).
- [16] V. Vacek, G. Hallewell, S. Ilie and S. Lindsay, *Perfluorocarbons and their use in cooling systems for semiconductor particle detectors*, *Fluid Phase Equilibr.* **174** (2000) 191.
- [17] E. Noschis et al., *Final size planar edgeless silicon detectors for the TOTEM experiment*, *Nucl. Instrum. Meth. A* **563** (2006) 41.
- [18] L. Jones, *APV25-S1 user guide version 2.2*,  
[http://www.ins.clrc.ac.uk/INS/Electronic\\_Systems/Microelectronics\\_Design/Projects/High\\_Energy\\_Physics/CMS/APV25-S1/index.html](http://www.ins.clrc.ac.uk/INS/Electronic_Systems/Microelectronics_Design/Projects/High_Energy_Physics/CMS/APV25-S1/index.html).
- [19] G. Ruggiero et al., *Planar edgeless silicon detectors for the TOTEM experiment*, *Nucl. Instrum. Meth. A* **582** (2007) 854.
- [20] H.W. Kraner, Z. Li and K.U. Posnecker, *Fast neutron damage in silicon detectors*, *Nucl. Instrum. Meth. A* **279** (1989) 266.
- [21] TOSTER project, *INTAS collaborative call with CERN 2005*, INTAS Ref. Nr. 05-103-7533.
- [22] C. Kenney et al., *Active-edge planar radiation sensors*, *Nucl. Instrum. Meth. A* **565** (2006) 272.

- [23] S.I. Parker, C.J. Kenney and J. Segal, *3D — A proposed new architecture for solid state radiation detectors*, *Nucl. Instr. Meth. A* **395** (1997) 328;  
 C.J. Kenney, S.I. Parker, J. Segal and C. Storment, *Silicon detectors with 3D electrode arrays fabrication and initial test results*, *IEEE Trans. Nucl. Sci.* **46** (1999) 1224;  
 C.J. Kenney, S.I. Parker and E. Walckiers, *Results from 3D silicon sensors with wall electrodes: near-cell-edge sensitivity measurements as a preview of active-edge sensors*, *IEEE Trans. Nucl. Sci.* **48** (2001) 2405.
- [24] C. Da Vià et. al, *3D active edge silicon detector tests with 120 GeV muons*, submitted to *IEEE Trans. Nucl. Sci.*.
- [25] S. Parker and C. Kenney, *Performance of 3-D architecture silicon sensors after intense proton irradiation*, *IEEE Trans. Nucl. Sci.* **48** (2001) 1629;  
 C. Da Vià and S. Watts, *Can silicon detectors survive beyond  $10^{15}$  neutrons cm $^{-2}$ ?*, *Nucl. Instrum. Meth. A* **501** (2003) 138;  
 C. Da Vià et al., *Advances in silicon detectors for particle tracking in extreme radiation environments*, *Nucl. Instrum. Meth. A* **509** (2003) 86;  
 C. Da Vià et al., *Radiation hardness properties of full-3D active edge silicon sensors*, *Nucl. Instrum. Meth. A* **587** (2008) 243.
- [26] NEEDS Workshop Discussion in Very High Energy Cosmic Ray Interactions:  
 L.W. Jones, *Introduction to the discussion of the “NEEDS” workshop*, *Nucl. Phys. B (Proc. Suppl.)* **122** (2003) 433;  
 R. Engel, *Extensive air showers and accelerator data — the NEEDS workshop*, *Nucl. Phys. B (Proc. Suppl.)* **122** (2003) 437;  
 K. Eggert, *The TOTEM/CMS forward experiment at the LHC*, *Nucl. Phys. B (Proc. Suppl.)* **122** (2003) 447;  
 D. Heck, *Importance of forward interactions for cosmic ray air shower simulations*, *Nucl. Phys. B (Proc. Suppl.)* **122** (2003) 451;  
 R. Jörg and R. Hörandel, *Test of high-energy hadronic interaction models with KASCADE — Particle physics with air shower detectors*, *Nucl. Phys. B (Proc. Suppl.)* **122** (2003) 455;  
 G. Schatz, *Summary of the NEEDS workshop*, *Nucl. Phys. B (Proc. Suppl.)* **122** (2003) 462; *Proceedings of 12th International Symposium on Very High-Energy Cosmic Ray Interactions (ISVHECRI 2002)*, Geneva, Switzerland, 15-20 July (2002), [NEEDS workshop: <http://www-ik.fzk.de/~needs>].
- [27] G. Bencze et al., *Position and timing resolution of interpolating cathode strip chambers in a test beam*, *Nucl. Instrum. Meth. A* **357** (1995) 40.
- [28] M. Huhtinen, *Radiation levels at detector, Presentation at TOTEM T1 CSC engineering design review*, 7 March 2006, CERN, Switzerland,  
<http://indico.cern.ch/conferenceDisplay.py?confId=a061338>.
- [29] D. Acosta et al., *Aging tests of full-scale CMS muon cathode strip chambers*, *Nucl. Instrum. Meth. A* **515** (2003) 226, Fermilab-Conf-03-307, <http://cdsweb.cern.ch/record/808006>.

- [30] ATLAS collaboration, *ATLAS muon spectrometer: Technical Design Report*, CERN-LHCC-97-022 chapter 6, <http://cdsweb.cern.ch/record/331068>.
- [31] CMS collaboration, *The CMS muon project: Technical Design Report*, CERN-LHCC-97-032, <http://cdsweb.cern.ch/record/343814>.
- [32] LHCb collaboration, P.R. Barbosa-Marinho et al., *LHCb technical design report 4*, CERN-LHCC-2001-010, <http://cdsweb.cern.ch/record/504326>.
- [33] S. Minutoli, *TOTEM T1 electronics system, Presented at the TOTEM T1 CSC engineering design review*, 7 March 2006, CERN, Switzerland, <http://indico.cern.ch/conferenceDisplay.py?confId=a061338>.
- [34] P. Moreira et al., *A Radiation Tolerant Gigabit Serializer for LHC data Transmission*, 7<sup>th</sup> Workshop on Electronics for LHC Experiments, Stockholm Sweden (2001), <http://cdsweb.cern.ch/record/588665>; J. Grahl, *GOL Opto-Hybrid Manufacturing Specifications*, v. 3.30, CERN-CMS ECAL (2003).
- [35] CMS TRACKER collaboration, *CMS Tracker control link specification. Part 2: front-end digital optohybrid*, CERN EP/CME, CERN EDMS document archive CMS-TK-ES-0019, version 2.2.
- [36] C. Paillard et al., *The CCU25: a network oriented communication and control unit integrated circuit in a 0.25 $\mu$ m CMOS technology*, 8<sup>th</sup> Workshop on Electronics for LHC Experiments, Colmar France (2002), <http://cdsweb.cern.ch/record/593914>.
- [37] L.S. Durkin, *CMS muon endcap cathode FE board — Electronic system review*, CERN, Switzerland, 18 September 2000.
- [38] G. Antchev et al., *A data readout module for the TOTEM experiment*, Proceedings of NEC2005, Varna, Bulgaria (2005), <http://cdsweb.cern.ch/record/1069893>.
- [39] A. Marchioro et al., *A PLL-delay ASIC for clock recovery and trigger distribution in the CMS tracker*, 3<sup>rd</sup> Workshop on Electronics for LHC Experiments, London U.K. (1997). P. Moreira et al., *CMS Tracker PLL Reference Manual - v. 2.1*, CERN - EP/MIC, July 2000, <http://cdsweb.cern.ch/record/1069705>.
- [40] CAEN s.p.a., *MOD. A1550: 24 channel 5kV/1mA common floating RTN board, technical information manual - rev 0*, 6 July 2007.
- [41] CAEN s.p.a., *MOD. SY1527: Universal Multichannel Power Supply System, User Manual - rev.13*, 6 October 2005.
- [42] WIENER GmbH, *MARATHON Power Supply System, Technical Manual — v. 00691.A0*, 20 June 2006.
- [43] F. Sauli, *GEM: A new concept for electron amplification in gas detectors*, *Nucl. Instrum. Meth. A* **386** (1997) 531.

- [44] C. Altunbas et al., *Construction, test and commissioning of the triple-GEM tracking detector for compass*, *Nucl. Instrum. Meth. A* **490** (2002) 177;  
B. Ketzer et al., *Performance of triple GEM tracking detectors in the COMPASS experiment*, *Nucl. Instrum. Meth. A* **535** (2004) 314.
- [45] M. Alfonsi et al., *High-rate particle triggering with triple-GEM detector*, *Nucl. Instrum. Meth. A* **518** (2004) 106.
- [46] H. Andersson et al., *Analysis of compounds released from various detector materials and their impact on aging characteristics of proportional counters*, *IEEE Trans. Nucl. Sci.* **51** (2004) 2110.
- [47] The MAD-X program, Methodical Accelerator Design, <http://www.cern.ch/mad>.
- [48] H. Niewiadomski, *Reconstruction of proton tracks in the TOTEM Roman Pot detectors at the LHC*, PhD Thesis, University of Manchester, U.K. (2008).
- [49] LHC Layout, <http://www.cern.ch/lhclayout/>.
- [50] M. Deile, *Algebraic determination of Roman Pot acceptance and resolution for the  $\beta^* = 1540\text{m}$  optics*, TOTEM Note 2006-002.
- [51] J. Kašpar, *Reconstruction of elastic events*, TOTEM Note 2007-007.
- [52] P. Aspell et al., *VFAT2: a front-end system on chip providing fast trigger information, digitized data storage and formatting for the charge sensitive readout of multi-channel silicon and gas particle detectors*, *Proceedings of TWEPP-07, Topical Workshop on Electronics for Particle Physics*, Prague Czech Republic (2007), <http://cdsweb.cern.ch/record/1069906>.
- [53] <http://www.cern.ch/TTC/intro.html>;  
J. Troska et al., *Implementation of the timing, trigger and control system of the CMS experiment*, *IEEE Trans. Nucl. Sci.* **53** (2006) 834.
- [54] F. Drouhin et al., *The control system for the CMS tracker front-end*, *IEEE Trans. Nucl. Sci.* **49** (2002) 846.
- [55] G. Antchev et al., *The TOTEM front end driver, its components and applications in the TOTEM experiment*, *Proceedings of TWEPP-07, topical workshop on electronics for particle physics*, Prague Czech Republic (2007), <http://cdsweb.cern.ch/record/1069713>.
- [56] ITA, *VME technology specifications*, VME64x 9U  $\times$  400 mm Format, ANSI/VITA 1.3-1997 (R2003), <http://www.vita.com/specifications.html>.
- [57] CMS collaboration, *The TriDAS project: Technical Design Report. Volume 2: data-acquisition and high-level trigger*, CERN-LHCC-2002-026, <http://cdsweb.cern.ch/record/578006>.