

Bibliography

- [1] LHCb collaboration, *A Large Hadron Collider beauty experiment*, Technical Proposal, CERN-LHCC-98-004, <http://cdsweb.cern.ch/record/622031>.
- [2] LHCb collaboration, R. Antunes-Nobrega et al., *LHCb reoptimized detector design and performance*, CERN-LHCC-2003-030, <http://cdsweb.cern.ch/record/630827>.
- [3] M. Needham and T. Ruf, *Estimation of the material budget of the LHCb detector*, Note LHCb-2007-025, <http://cdsweb.cern.ch/record/1023537>.
- [4] J. Christiansen, *Requirements to the L0 front-end electronics*, Note LHCb-2001-014, <http://cdsweb.cern.ch/record/691647>.
- [5] J. Christiansen, *Requirements to the L1 front-end electronics*, EDMS document <https://edms.cern.ch/document/715154>.
- [6] P. Moreira et al., *G-Link and gigabit ethernet compliant serializer for LHC data transmission*, *IEEE Nucl. Sci. Symp. Conf. Rec.* **2** (2000) 9/6; *A radiation tolerant gigabit serializer for LHC data transmission*, <http://edms.cern.ch/file/906036/1/>.
- [7] J. Christiansen, *Test, time alignment, calibration and monitoring in the LHCb front-end electronics*, EDMS document <https://edms.cern.ch/document/692583>.
- [8] B. Taylor, *Timing distribution at the LHC*, *Proceedings of the LECC 2002 Workshop*, Colmar France (2002), <http://cdsweb.cern.ch/record/592719>.
- [9] *Embedded Local Monitor Board home page*, <http://elmb.web.cern.ch/ELMB/ELMBhome.html>.
- [10] G. Haefeli et al., *The LHCb DAQ interface board TELL1*, *Nucl. Instrum. Meth.* **A 560** (2006) 494.
- [11] *Radiation hardness assurance*, http://lhcb-elec.web.cern.ch/lhcb-elec/html/radiation_hardness.htm.
- [12] G. Corti and G. von Holtey, *Study of beampipe induced background in the LHCb detector for the optimization of the vacuum chamber design*, Note LHCb-2003-085.

- [13] J.R. Knaster, *The vacuum chamber in the interaction region of particle colliders: a historical study and developments implemented in the LHCb experiment at CERN*, Ph.D. Thesis, CERN-ETSII, Geneva Switzerland (2004).
- [14] CERN Safety Instruction IS nr 25, http://safety-commission.web.cern.ch/safety-commission/SC-site/sc_pages/documents/instructions.html
- [15] R. Veness et al., *Study of minimised UHV flanges for LHC experiments*, CERN Vacuum tech. Note EDMS document <https://edms.cern.ch/document/350384>.
- [16] D. Ramos, *Design of the fixed beampipe supports inside the acceptance region of the LHCb experiment*, CERN Vacuum Tech. Note, EDMS document <https://edms.cern.ch/document/882924>.
- [17] C. Benvenuti et al., *Vacuum properties of TiZrV non-evaporable getter films*, *Vacuum* **60** (2001) 57.
- [18] O. Grobner, *Overview of the LHC vacuum system*, *Vacuum* **60** (2001) 25.
- [19] L. Fernandez-Herando et al., *The radiation monitoring system for the LHC experimental areas*, TS-Note-2004-006, <http://cdsweb.cern.ch/record/740728>.
- [20] B. Todd et al., *The architecture, design and realisation of the LHC beam interlock system*, in *Proceedings of the 10th ICALEPCS International Conference on Accelerator & Large Experimental Physics Control System*, Geneva Switzerland (2005).
- [21] E. Effinger et al., *Single gain radiation tolerant LHC beam loss acquisition card*, in *Proceedings of the 8th European Workshop on Beam Diagnostics and Instrumentation for Particle Accelerators*, Venice Italy (2007), <http://cdsweb.cern.ch/record/1045244>.
- [22] LHCb collaboration, R. Antunes-Nobrega et al., *LHCb computing technical design report*, CERN-LHCC-2005-019, <http://cdsweb.cern.ch/record/835156>.
- [23] LHCb collaboration, S. Amato et al., *LHCb magnet technical design report*, CERN-LHCC-2000-007, <http://cdsweb.cern.ch/record/424338>.
- [24] J. André et al., *Status of the LHCb magnet system*, *IEEE Trans. Appl. Supercond.* **12** (2002) 366.
- [25] J. André, et al., *Status of the LHCb dipole magnet*, *IEEE Trans. Appl. Supercond.* **14** (2004) 509.
- [26] M. Patel, M. Losasso and T. Gys., *Magnetic shielding studies of the LHCb rich photon detectors*, *Nucl. Instrum. Meth. A* **553** (2005) 114.
- [27] F. Bersgma, *Calibration of Hall sensors in three dimensions*, in *Proceedings of the 13th International Magnetic Measurement Workshop (IMMW13)*, SLAC Stanford, California U.S.A. (2003), <http://cdsweb.cern.ch/record/1072471>.

- [28] LHCb collaboration, P.R. Barbosa-Marinho et al., *Vertex locator technical design report*, CERN-LHCC-2001-011, <http://cdsweb.cern.ch/record/504321>.
- [29] P. Koppenburg, *Simulation of the vertex trigger preprocessor: effects of noise on L1 performance*, Note LHCb-1999-003, <http://cdsweb.cern.ch/record/691699>.
- [30] P. Koppenburg, *Effect of pulse overspill on the level 1 trigger*, Note LHCb-2001-078, <http://cdsweb.cern.ch/record/684442>.
- [31] D. Petrie, C. Parkes and S. Viret, *Study of the impact of VELO misalignments on the LHCb tracking and L1 trigger performance*, Note LHCb-2005-056, <http://cdsweb.cern.ch/record/899299>.
- [32] M. Ferro-Luzzi et al., *A first study of wake fields in the LHCb detector*, Note LHCb-99-041, <http://cdsweb.cern.ch/record/684454>; *Wake fields in the LHCb vertex detector*, Note LHCb-99-043, <http://cdsweb.cern.ch/record/691632>;
N. Van Bakel et al., *Wake fields in the LHCb vertex detector: alternative design for the wake fields suppressor*, Note LHCb-99-044, <http://cdsweb.cern.ch/record/691599>.
- [33] LHCb VELO GROUP collaboration, *Review of the planned replacement of n-on-n with n-on-p detectors for LHCb-Velo*, EDMS document <https://edms.cern.ch/document/883223>.
- [34] S. Löchner and M. Schmelling, *The Beetle Reference Manual*, Note LHCb-2005-105, <http://cdsweb.cern.ch/record/1000429>.
- [35] R. Mountain et al., *VELO module transport box document and operational guide*, Syracuse University note, SU-LHCb-2006-02-03.
- [36] A. Bates et. al., *A facility for long term evaluation and quality assurance of LHCb vertex detector modules*, Note LHCb-2007-102, <http://cdsweb.cern.ch/record/1061056>.
- [37] M. Schmelling, *Specification of the front-end electronics for the LHCb vertex locator*, Note LHCb-2001-048, <http://cdsweb.cern.ch/record/691610>.
- [38] A. Bates et. al., *VELO module characterisation: results from the Glasgow LHCb VELO module burn-in*, Note LHCb-2007-103, <http://cdsweb.cern.ch/record/1046811>.
- [39] L. Eklund et. al., *Radiation tests of the VELO ECS and Analogue Repeater Mezzanines*, Note LHCb-2006-001, <http://cdsweb.cern.ch/record/926372>.
- [40] L. Eklund, *Control and monitoring of VELO and pile-up level 0 electronics*, EDMS document <https://edms.cern.ch/document/596194>.
- [41] D. Breton and D. Charlet, *SPECS: the Serial Protocol for the Experiment Control System of LHCb*, Note LHCb-2003-004, <http://cdsweb.cern.ch/record/681284>.
- [42] S. Kersten and P. Kind, *Technical description of the interlock circuit and system of the ATLAS pixel detector*, ATL-IP-ES-0041.

- [43] G. Haefeli, *Contribution to the development of the acquisition electronics for the LHCb experiment*, LPHE Master thesis, Lausanne Switzerland (2004).
- [44] LHCb ST and VELO GROUP collaborations, G. Haefeli and A. Gong, *LHCb VELO and ST clusterization on TELL1* EDMS document <https://edms.cern.ch/document/690585>.
- [45] LHCb VELO GROUP, D. Eckstein, *VELO raw data format and strip numbering*, EDMS document <https://edms.cern.ch/document/637676>.
- [46] LHCb VELO GROUP collaboration, M. Ferro-Luzzi, *VELO hardware interlocks*, EDMS document <https://edms.cern.ch/document/706629>.
- [47] M. Artuso and J.C. Wang, *Study of the spatial resolution achievable with the BTeV pixel sensors*, *Nucl. Instrum. Meth. A* **465** (2000) 115 [[hep-ex/0007054](https://arxiv.org/abs/hep-ex/0007054)].
- [48] C. Parkes and T. Szumlak, *VELO event model*, Note LHCb-2006-054, <http://cdsweb.cern.ch/record/989093>.
- [49] C. Parkes, T. Ruf and T. Szumlak, *Reconstruction of cluster positions in the LHCb VELO*, Note LHCb-2007-151, <http://cdsweb.cern.ch/record/1074928>.
- [50] W. Baldini et al., *LHCb alignment strategy*, Note LHCb-2006-035, <http://cdsweb.cern.ch/record/964804>.
- [51] V. Blobel and C. Kleinwort, *A new method for the high-precision alignment of track detectors*, *Contribution to the Conference on Advanced Statistical Techniques in Particle Physics PHYSTAT2002*, Durham U.K., [hep-ex/0208021](https://arxiv.org/abs/hep-ex/0208021).
- [52] T.W. Versloot, *Position reconstruction and charge distribution in LHCb VELO silicon sensors*, Note LHCb-2007-119, <http://cdsweb.cern.ch/record/1073483>.
- [53] J. Gassner, M. Needham and O. Steinkamp, *Layout and expected performance of the LHCb TT station*, Note LHCb-2003-140, <http://cdsweb.cern.ch/record/728548>.
- [54] LHCb collaboration, P.R. Barbosa-Marinho et al., *LHCb inner tracker technical design report*, CERN-LHCC-2002-029, <http://cdsweb.cern.ch/record/582793>.
- [55] J. Gassner, F. Lehner and S. Steiner, *The mechanical design of the LHCb silicon trigger tracker*, Note LHCb-2004-110, <http://cdsweb.cern.ch/record/858499>.
- [56] J.-L. Agram et al., *The silicon sensors for the Compact Muon Solenoid tracker — design and qualification procedure*, Note CMS-2003-015, <http://cdsweb.cern.ch/record/687875>.
- [57] A. Bay et al., *Hybrid design, procurement and testing for the LHCb silicon tracker*, Note LHCb-2005-061, <http://cdsweb.cern.ch/record/885752>.
- [58] I. Abt et al., *Gluing silicon with silicone*, *Nucl. Instrum. Meth. A* **411** (1998) 191.
- [59] A. Vollhardt, *A radiation tolerant fiber-optic readout system for the LHCb silicon tracker*, Note LHCb-2005-032, <http://cdsweb.cern.ch/record/872267>.

- [60] V. Bobillier, J. Christiansen and R. Frei, *Grounding, shielding and power distribution in LHCb*, Note LHCb-2004-039, <http://cdsweb.cern.ch/record/738180>.
- [61] D. Esperante and A. Vollhardt, *Design and development of the control board for the LHCb silicon tracker*, Note LHCb-2007-153, <http://cdsweb.cern.ch/record/1082457>.
- [62] *TTCrq*, <http://proj-qpll.web.cern.ch/proj-qpll/ttcrq.htm>.
- [63] C. Bauer et al., *Grounding, shielding and power distribution for the LHCb silicon tracking*, Note LHCb-2004-101, <http://cdsweb.cern.ch/record/836185>.
- [64] M. Agari et al., *Test beam results of multi-geometry prototype sensors for the LHCb inner tracker*, Note LHCb-2002-058, <http://cdsweb.cern.ch/record/684437>.
- [65] R. Bernhard et al., *Measurements of prototype ladders for the silicon tracker with laser*, Note LHCb-2003-075, <http://cdsweb.cern.ch/record/684488>.
- [66] M. Agari et al., *Test-beam measurements on prototype ladders for the LHCb TT station and Inner Tracker*, Note LHCb-2003-082, <http://cdsweb.cern.ch/record/722699>.
- [67] J. Gassner et al., *Measurements of prototype ladders for the TT station with a laser*, Note LHCb-2004-102, <http://cdsweb.cern.ch/record/818585>.
- [68] M. Agari et al., *Measurements of a prototype ladder for the TT station in a 120 GeV/c π^- beam*, Note LHCb-2004-103, <http://cdsweb.cern.ch/record/811085>.
- [69] S. Köstner and U. Straumann, *Noise considerations for the beetle amplifier used with long silicon strip detectors*, Note LHCb-2005-029, <http://cdsweb.cern.ch/record/837194>.
- [70] M. Needham, *Silicon tracker occupancies and clustering*, Note LHCb-2007-024, <http://cdsweb.cern.ch/record/1023456>.
- [71] M. Needham and D. Volynskyy, *Updated geometry description for the LHCb trigger tracker*, Note LHCb-2006-032, <http://cdsweb.cern.ch/record/961216>.
- [72] A. Perrin and K. Vervink, *The inner tracker detector description and its implementation in the XML database*, Note LHCb-2006-018, <http://cdsweb.cern.ch/record/962061>.
- [73] LHCb collaboration, P.R. Barbosa-Marinho et al., *Outer tracker technical design report*, CERN-LHCC-2001-024, <http://cdsweb.cern.ch/record/519146>.
- [74] S. Bachmann, *Specifications for the drift gas quality of the outer tracking system*, Note LHCb-2002-031; *Proposal for the gas distribution in the outer tracking system*, Note LHCb-2003-054.
- [75] J. Nardulli and N. Tuning, *A study of the material in an outer tracker module*, Note LHCb-2004-114, <http://cdsweb.cern.ch/record/815493>.
- [76] T. Haas, *Aging phenomena in the LHCb outer tracker*, *Nucl. Instrum. Meth. A* **581** (2007) 164.

- [77] A. Berkien et al., *The LHCb outer tracker front-end electronics*, Note LHCb-2005-025, <http://cdsweb.cern.ch/record/1089278>;
Y. Guz et al., *Study of the global performance of an LHCb OT front-end electronics prototype*, Note LHCb-2004-120.
- [78] N. Dressnandt et al., *Implementation of the ASDBLR and DTMROC ASICs for the ATLAS TRT in DMILL technology*, *Proceedings of the 6th Workshop on Electronics for LHC Experiments*, Cracow Poland (2000), <http://cdsweb.cern.ch/record/478863>;
R. Bevensee et al., *An amplifier-shaper-discriminator with baseline restoration for the ATLAS transition radiation tracker*, *IEEE Trans. Nucl. Sci.* **43** (1996) 1725.
- [79] H. Deppe, et al., *The OTIS reference manual*, Note LHCb-2008-010, <http://cdsweb.cern.ch/record/1089277>.
- [80] U. Stange, *Development and characterization of a rad hard readout chip for the LHCb outer tracker detector*, PhD Thesis, Heidelberg Germany (2005).
- [81] U. Uwer et al., *Specifications for the IF13-2 prototype of the auxiliary board for the outer tracker*, Note LHCb-2005-039.
- [82] G.W. van Apeldoorn et al., *Beam tests of final modules and electronics of the LHCb outer tracker in 2005*, Note LHCb-2005-076, <http://cdsweb.cern.ch/record/896901>.
- [83] T. Bauer, J. Nardulli and N. Tuning, *Flatness of an outer tracker module*, Note LHCb-2005-009.
- [84] N. Tuning and A. Pellegrino, *Flatness of an outer tracker layer in a prototype C-frame*, Note LHCb-2008-003.
- [85] H. Dekker et al., *The RASNIK/CCD 3-dimensional alignment system*, in *Proceedings of the 3rd International Workshop On Accelerator Alignment (IWAA 93)*, Annecy France (1993).
- [86] M. Adamus, A. Nawrot and M. Szczekowski, *Alignment system for the outer tracker detector in LHCb experiment*, Note LHCb-2001-006, <http://cdsweb.cern.ch/record/691623>;
M. Adamus et al., *First results from a prototype of the RASNIK alignment system for the outer tracker detector in LHCb experiment*, Note LHCb-2002-016.
- [87] LHCb RICH GROUP collaboration, N. Brook et al., *LHCb RICH 1 engineering design review report*, Note LHCb-2004-121, <http://cdsweb.cern.ch/record/897981>.
- [88] F. Metlica, *Development of light-weight spherical mirrors for RICH detectors*, NIMA 48462, <http://dx.doi.org/10.1016/j.nima.2008.07.026>.
- [89] A. Papanestis, *Limits of software compensation for mirror misalignment of the RICH detectors*, Note LHCb-2001-141.
- [90] R. Plackett, *Photon detectors for the Ring Imaging Cherenkov detectors of the LHCb experiment*, PhD Thesis, University of London, London U.K. (2006).

- [91] LHCb collaboration, S. Amato et al., *LHCb RICH technical design report*, CERN-LHCC-2000-037, <http://cdsweb.cern.ch/record/494263>.
- [92] LHCb RICH GROUP collaboration, M. Adinolfi et al., *LHCb RICH 2 engineering design review report*, Note LHCb-2002-009, <http://cdsweb.cern.ch/record/691478>.
- [93] T. Bellunato, *Development of ring imaging Cherenkov detectors for LHCb*, PhD Thesis, Università degli Studi di Milano, Milano Italy (2001).
- [94] M. Laub, *Development of opto-mechanical tools and procedures for a new generation of RICH-detectors at CERN*, PhD Thesis, České vysoké učené technické v Praze, Prague Czech Republic (2001).
- [95] L. Fernández Hernando, *New automatic techniques to test optical components of the next generation of RICH detectors at CERN*, PhD Thesis, Universitat Politècnica de Catalunya, Barcelona Spain (2001).
- [96] G. Aglieri-Rinella, *Development of the photon detection, acquisition and optical systems of modern ring imaging Cherenkov detectors*, PhD Thesis, Università degli Studi di Palermo, Palermo Italy (2006).
- [97] C. D'Ambrosio et al., *The optical systems of LHCb RICHes: a study on the mirror walls and mirrors specifications*, Note LHCb-2000-071, <http://cdsweb.cern.ch/record/691486>.
- [98] T. Gys, *Magnetic field simulations for the LHCb-RICH 2 detector*, Note LHCb-2002-029; M. Patel et al., *Magnetic shielding studies of the RICH photon detectors*, Note LHCb-2005-055, <http://cdsweb.cern.ch/record/920381>; M. Alemi, *Passive magnetic shielding calculation for the photodetectors of RICH2*, Note LHCb-1998-017, <http://cdsweb.cern.ch/record/691679>.
- [99] M.Y. Barnykov et al., *Development of aerogel Cherenkov counters with wavelength shifters and phototubes*, *Nucl. Instrum. Meth. A* **419** (1998) 584.
- [100] T. Bellunato et al., *Performance of aerogel as Cherenkov radiator*, *Nucl. Instrum. Meth. A* **519** (2004) 493.
- [101] T. Bellunato et al., *Study of ageing effects in aerogel*, *Nucl. Instrum. Meth. A* **527** (2004) 319.
- [102] T. Bellunato et al., *Refractive index inhomogeneity within an aerogel block*, *Nucl. Instrum. Meth. A* **556** (2006) 140.
- [103] D. Perego, *Ageing tests and recovery procedures of silica aerogel*, Note LHCb-2008-004.
- [104] O. Ullaland, *Fluid systems for RICH detectors*, *Nucl. Instrum. Meth. A* **553** (2005) 107.
- [105] M. Bosteels et al., *LHCb RICH gas system proposal*, LHCb-2000-079, <http://cdsweb.cern.ch/record/684687>.

- [106] A. Braem et al., *Metal multi-dielectric mirror coatings for Cherenkov detectors*, *Nucl. Instrum. Meth. A* **553** (2005) 182.
- [107] E. Albrecht et al., *Operation, optimisation and performance of the DELPHI RICH detectors*, *Nucl. Instrum. Meth. A* **433** (1999) 47.
- [108] E. Albrecht et al., *The mirror system of COMPASS RICH 1*, *Nucl. Instrum. Meth. A* **502** (2003) 236;
P. Fauland, *The COMPASS experiment and the RICH-1 detector*, PhD Thesis, Universität Bielefeld, Mannheim Germany (2004).
- [109] M. Alemi et al., *First operation of a hybrid photon detector prototype with electrostatic cross-focussing and integrated silicon pixel readout*, *Nucl. Instrum. Meth. A* **449** (2000) 48.
- [110] K. Wyllie et al., *Silicon detectors and electronics for pixel hybrid photon detectors*, *Nucl. Instrum. Meth. A* **530** (2004) 82.
- [111] M. Adinolfi, *System test of a three-column LHCb RICH 2 prototype detector*, *Nucl. Instrum. Meth. A* **553** (2005) 328.
- [112] P. Moreira et al., *A radiation tolerant gigabit serializer for LHC data transmission*, *Proceedings of the Seventh Workshop on Electronics for LHC Experiments*, CERN-LHCC-2001-034, <http://cdsweb.cern.ch/record/588665>.
- [113] J. Christiansen et al., *Receiver ASIC for timing, trigger and control distribution in LHC experiments*, *IEEE Trans. Nucl. Sci* **43** (1996) 1773;
TTCrx reference manual V. 3.10, http://ttc.web.cern.ch/TTC/TTCrx_manual3.10.pdf, (2005).
- [114] C. Arnaboldi et al., *The high voltage distribution system for the hybrid photodetector arrays of RICH 1 and RICH 2 at LHCb*, *IEEE Nucl. Sci. Symp. Conf. Rec.* **1** (2005) 413.
- [115] C. Gaspar et al., *The use of credit card-sized PCs for interfacing electronics boards to the LHCb ECS*, Note LHCb-2001-147.
- [116] C. D'Ambrosio et al., *The LHCb RICH detector control system*, Note LHCb-2004-071, <http://cdsweb.cern.ch/record/793159>.
- [117] C. Gaspar and M. Dönszelmann, *DIM: a distributed information management system for the DELPHI experiment at CERN*, presented at *IEEE Conference REAL TIME '93*, Vancouver Canada (1993), <http://cdsweb.cern.ch/record/254799>.
- [118] B. Hallgren et al., *The Embedded Local Monitor Board (ELMB) in the LHC front-end I/O control system*, presented at the 7th *Workshop on Electronics for LHC Experiments*, Stockholm Sweden (2001), <http://cdsweb.cern.ch/record/530675>.
- [119] M. Adinolfi et al., *Performance of the LHCb RICH photodetectors in a charged particle beam*, *Nucl. Instrum. Meth. A* **574** (2007) 39.

- [120] S. Easo et al., *Simulation of LHCb RICH detectors using GEANT4*, *IEEE Trans. Nucl. Sci.* **52** (2005) 1665.
- [121] LHCb collaboration, S. Amato et al., *LHCb calorimeters technical design report*, CERN-LHCC-2000-036, <http://cdsweb.cern.ch/record/494264>.
- [122] E. Guschin and S.V. Laptev, *Monte-Carlo study of LHCb preshower*, Note LHCb-2000-030, <http://cdsweb.cern.ch/record/691547>.
- [123] S. Barsuk et al., *Design and construction of the electromagnetic calorimeter for the LHCb experiment*, Note LHCb-2000-043, <http://cdsweb.cern.ch/record/691508>.
- [124] R. Djeliadine, O. Iouchtchenko and V.F. Obraztsov, *LHCb hadron trigger and HCAL cell size and length optimisation*, Note LHCb-1999-035, <http://cdsweb.cern.ch/record/691688>.
- [125] C. Beigbeder-Beau et al., *A joint proposal for the level 0 calorimetric triggers*, Note LHCb-99-017, <http://cdsweb.cern.ch/record/691582>.
- [126] C. Beigbeder-Beau et al., *The front-end electronics for LHCb calorimeters*, Note LHCb-2000-028, <http://cdsweb.cern.ch/record/691705>.
- [127] S. Bota et al., *Scintillator pad detector front-end electronics*, Note LHCb-2000-027, <http://cdsweb.cern.ch/record/691544>.
- [128] G. Böhner et al., *Front-end electronics for the LHCb preshower detector*, Note LHCb-2000-048, <http://cdsweb.cern.ch/record/691511>.
- [129] B. Delcourt, J. Lefrançois, *Investigation of widening of the π^0 mass peak with electronic defects*, Note LHCb-2000-029, <http://cdsweb.cern.ch/record/691719>.
- [130] S.N. Filippov et al., *Design and construction of the LHCb scintillator-pad/preshower detector*, Note LHCb-2000-042, <http://cdsweb.cern.ch/record/691521>.
- [131] S.N. Filippov et al., *Experimental performance of PS/SPD prototypes*, Note LHCb-2000-031, <http://cdsweb.cern.ch/record/691545>.
- [132] G. Böhner et al., *Very front-end electronics for LHCb preshower*, Note LHCb-2000-047, <http://cdsweb.cern.ch/record/691512>.
- [133] Z. Ajaltouni et al., *Study of multianode photomultipliers for the electromagnetic calorimeter preshower read out of the LHCb experiment*, *Nucl. Instrum. Meth.* **A 504** (2003) 9; *Photomultiplier pulse read out system for the preshower detector of the LHCb experiment*, *Nucl. Instrum. Meth.* **A 504** (2003) 250.
- [134] E. Aguiló et al., *Test of multi-anode photomultiplier tubes for the LHCb scintillator pad detector*, *Nucl. Instrum. Meth.* **A 538** (2005) 255.
- [135] E. Graugés et al., *Mass characterization of MaPMT tubes for the LHCb scintillator pad detector*, *Nucl. Instrum. Meth.* **A 572** (2007) 427.

- [136] S. Monteil, *Photodetector performance for the LHCb pre-shower detector*, in *Proceedings of the 11th International Conference on Calorimetry in High-Energy Physics, CALOR 2004*, Perugia Italy (2004).
- [137] L. Garrido et al., *Results of tagged photon test beam for the scintillator pad detector*, Note LHCb-2000-032, <http://cdsweb.cern.ch/record/691546>;
E. Aguiló et al., *Backsplash testbeam results for the SPD subdetector of LHCb*, *Nucl. Instrum. Meth. A* **546** (2005) 438.
- [138] HERA-B collaboration, *HERA-B: an experiment to study CP violation in the B system using an internal target at the HERA proton ring. Proposal*, DESY-PRC-94-002; *HERA-B: an experiment to study CP violation in the B system using an internal target at the HERA proton ring. Design report*, DESY-PRC-95-01.
- [139] PHENIX collaboration, *PHENIX: preliminary conceptual design report*, BNL-PROPOSAL-R2.
- [140] HERA-B collaboration, E. Tarkovsky, *The HERA-B electromagnetic calorimeter*, *Nucl. Instrum. Meth. A* **379** (1996) 515.
- [141] A. Bazilevsky et al., *Performance of the PHENIX EM calorimeter*, *IEEE Trans. Nucl. Sci.* **43** (1996) 1491.
- [142] J. Badier et al., *Shashlik calorimeter beam-test results*, *Nucl. Instrum. Meth. A* **348** (1994) 74.
- [143] A. Arefiev et al., *Design, construction, quality control and performance study with cosmic rays of modules for the LHCb electromagnetic calorimeter*, Note LHCb-2007-148, <http://cdsweb.cern.ch/record/1080559>.
- [144] A. Arefiev et al., *Beam test results of the LHCb electromagnetic calorimeter*, Note LHCb-2007-149, <http://cdsweb.cern.ch/record/1103500>.
- [145] V. Brekhovskikh et al., *The WLS fiber time properties study*, Note LHCb-2000-039, <http://cdsweb.cern.ch/record/691514>.
- [146] R.I. Dzhelyadin, *The LHCb hadron calorimeter*, *Nucl. Instrum. Meth. A* **494** (2002) 332, also in *Proceedings of the 8th International Conference on Instrumentation for Colliding Beam Physics*, Novosibirsk Russia (2002).
- [147] L.G. Afanasieva et al., *The hadron calorimeter design and construction*, Note LHCb-2000-045, <http://cdsweb.cern.ch/record/691506>.
- [148] M. Bonnet et al., *The hadron calorimeter prototype design and construction*, Note LHCb-2000-035, <http://cdsweb.cern.ch/record/691513>.
- [149] C. Coca et al., *The hadron calorimeter prototype beam-test results*, Note LHCb-2000-036, <http://cdsweb.cern.ch/record/691519>.

- [150] R.I. Dzhelyadin et al., *The hadron calorimeter module-0 construction*, Note LHCb-2001-122.
- [151] G.I. Britvich et al., *The HCAL optics radiation damage study*, Note LHCb-2000-037, <http://cdsweb.cern.ch/record/691516>.
- [152] I. Korolko, J. Ocariz and A. Schopper, *HCAL performance with irradiated sub-components*, Note LHCb-2000-038, <http://cdsweb.cern.ch/record/691524>.
- [153] C. Beigbeder-Beau et al., *The readout of the LHCb calorimeters*, Note LHCb-2000-046, <http://cdsweb.cern.ch/record/691493>.
- [154] N. Dumont-Dayot, *The preprocessor FPGA for the ECAL/HCAL and PS/SPD detectors*, LAPP EDMS I-008689 <https://edms.in2p3.fr/file/I-008689/1/pp-fpga-firmware.pdf>.
- [155] D. Boget et al., *The readout of the LHCb calorimeters*, EDMS 527942 <http://edms.cern.ch/document/527942>.
- [156] G. Böhner, *LHCb preshower signal characteristics*, Note LHCb-2000-026, <http://cdsweb.cern.ch/record/691597>.
- [157] D. Gascón et al., *The front-end electronics of the scintillator pad detector of LHCb calorimeter*, in *Proceedings of the 12th LECC Workshop*, Valencia Spain (2006), <http://cdsweb.cern.ch/record/1027429>.
- [158] D. Gascón et al., *A BICMOS synchronous pulse discriminator for the LHCb calorimeter system*, in *Proceedings of the 8th LECC Workshop*, Colmar France (2002), <http://cdsweb.cern.ch/record/619291>.
- [159] S. Luengo et al., *SPD very front end electronics*, *Nucl. Instrum. Meth. A* **567** (2006) 310.
- [160] D. Breton and D. Charlet, *Using the SPECS in LHCb*, Note LHCb-2003-005.
- [161] A. Arefiev et al., *Design of PMT base for the LHCb electromagnetic calorimeter*, Note LHCb-2003-150.
- [162] G. Avoni et al., *The HERA-B ECAL electronics and monitoring*, in *Proceedings of International Conference on Calorimetry in Particle Physics, CALOR 2000*, Annecy France (2000).
- [163] S. Amato et al., *Analysis of the $B_s^0 \rightarrow \mu^+ \mu^-$ decay with the reoptimized LHCb detector*, Note LHCb-2003-165, <http://cdsweb.cern.ch/record/726431>.
- [164] LHCb collaboration, *LHCb muon system technical design report*, CERN-LHCC-2001-010, <http://cdsweb.cern.ch/record/504326>.
- [165] LHCb collaboration, *LHCb addendum to the muon system technical design report*, CERN-LHCC-2003-002, <http://cdsweb.cern.ch/record/600536>.

- [166] LHCb collaboration, *LHCb second addendum to the muon system technical design report*, CERN-LHCC-2005-012, <http://cdsweb.cern.ch/record/831955>.
- [167] G. Martellotti, R. Santacesaria and A. Satta, *Muon system digitization*, Note LHCb-2004-063, <http://cdsweb.cern.ch/record/784561>.
- [168] R. Santacesaria and A. Satta, *A new calculation of the low energy background in the muon system*, Note LHCb-2003-057, <http://cdsweb.cern.ch/record/684464>.
- [169] G. Martellotti, R. Santacesaria and A. Satta, *Particle rates in the LHCb muon detector*, Note LHCb-2005-075, <http://cdsweb.cern.ch/record/896904>.
- [170] B. Bochín et al., *Wire pad chamber for LHCb muon system*, Note LHCb-2000-003, <http://cdsweb.cern.ch/record/681334>.
- [171] B. Bochín et al., *Beam tests of WPC-7 prototype of wire pad chambers for the LHCb muon system*, Note LHCb-2000-102, <http://cdsweb.cern.ch/record/691718>.
- [172] D. Hutchcroft et al., *Results obtained with the first four gap MWPC prototype chamber*, Note LHCb-2001-024, <http://cdsweb.cern.ch/record/691631>.
- [173] B. Bochín et al., *Test results of a full size prototype of the muon chambers for region M2/R4 of the LHCb muon system*, Note LHCb-2002-025, <http://cdsweb.cern.ch/record/681216>.
- [174] B. Maréchal et al., *Construction and test of the prototype chamber for region 1 of the LHCb muon station 2*, Note LHCb-2002-034, <http://cdsweb.cern.ch/record/691482>.
- [175] M. Anelli et al., *Test of MWPC prototypes for R3 of the LHCb muon system*, Note LHCb-2004-074, <http://cdsweb.cern.ch/record/793160>.
- [176] G. Lanfranchi, *Time resolution and aging properties of the MWPCs for the LHCb muon system*, *Nucl. Instrum. Meth. A* **535** (2004) 221.
- [177] E. Danè et al., *Detailed study of the gain of the MWPCs for the LHCb muon system*, *Nucl. Instrum. Meth. A* **572** (2007) 682.
- [178] A. Kachtchouk et al., *Performance study of a MWPC prototype for the LHCb muon system with the ASDQ chip*, Note LHCb-2000-062, <http://cdsweb.cern.ch/record/681340>.
- [179] W. Riegler, *Detector physics and performance: simulation of the MWPCs for the full LHCb muon system*, Note LHCb-2000-060, <http://cdsweb.cern.ch/record/681186>.
- [180] R. Veenhof, *Garfield — simulation of gaseous detectors*, <http://consult.cern.ch/writeup/garfield/>.
- [181] I. Smirnov, *Heed: interactions of particles with gases*, <http://consult.cern.ch/writeup/heed/>.
- [182] S. Biagi, *Magboltz: transport of electrons in gas mixtures*, <http://consult.cern.ch/writeup/magboltz/>.

- [183] A. Kachtchouk et al., *Design and construction of the wire chambers for the LHCb muon system*, Note LHCb-2001-026, <http://cdsweb.cern.ch/record/684460>.
- [184] M. Anelli et al., *Quality tests of the LHCb muon chambers at the LNF production site*, *IEEE Trans. Nucl. Sci.* **53** (2006) 330.
- [185] A.F. Barbosa et al., *Production and quality control of MWPC for the LHCb muon system at CERN*, *IEEE Trans. Nucl. Sci.* **53** (2006) 336.
- [186] E. Dané, D. Pinci and A. Sarti, *Results of the quality controls of the four-gap MWPCs produced at LNF for LHCb*, *IEEE Trans. Nucl. Sci.* **54** (2007) 354.
- [187] P. Ciambrone et al., *Automated wire tension measurement system for LHCb muon chambers*, *Nucl. Instrum. Meth. A* **545** (2005) 156.
- [188] W. Baldini et al., *A laser based instrument for MWPC wire tension measurement*, Note LHCb-2007-120, <http://cdsweb.cern.ch/record/1055333>.
- [189] A. Alves et al., *Results of the MWPC gas gain uniformity test performed at CERN*, Note LHCb-2007-115, <http://cdsweb.cern.ch/record/1054084>.
- [190] S. Agosteo et al., *A facility for the test of large-area muon chambers at high rates*, *Nucl. Instrum. Meth. A* **452** (2000) 94.
- [191] V. Souvorov et al., *First results of an aging test of a full scale MWPC prototype for the LHCb muon system*, *Nucl. Instrum. Meth. A* **515** (2003) 220.
- [192] M. Anelli et al., *Extensive ageing test of two prototypes of four-gap MWPC for the LHCb muon system*, Note LHCb-2004-029, <http://cdsweb.cern.ch/record/733605>.
- [193] F. Sauli, *GEM: a new concept for electron amplification in gas detectors*, *Nucl. Instrum. Meth. A* **386** (1997) 531.
- [194] G. Bencivenni et al., *Advances in triple-GEM detector operation for high-rate particle triggering*, *Nucl. Instrum. Meth. A* **513** (2003) 264.
- [195] M. Alfonsi et al., *Advances in fast multi-GEM-based detector operation for high-rate charged-particle triggering*, *IEEE Trans. Nucl. Sci.* **51** (2004) 2135.
- [196] A. Bressan et al., *Beam tests of the gas electron multiplier*, *Nucl. Instrum. Meth. A* **425** (1999) 262.
- [197] M. Alfonsi et al., *Studies of etching effects on triple-GEM detectors operated with CF/sub 4/-based gas mixtures*, *IEEE Trans. Nucl. Sci.* **52** (2005) 2872.
- [198] M. Alfonsi et al., *Aging measurements on triple-GEM detectors operated with CF₄ based gas mixtures*, *Nucl. Phys. B* **150** (Proc. Suppl.) (2006) 159.
- [199] W. Bonivento, D. Marras and G. Auriemma, *Production of the front-end boards of the LHCb muon system*, Note LHCb-2007-150, <http://cdsweb.cern.ch/record/1079951>.

- [200] D. Moraes et al., *CARIOCA 0.25 μm CMOS fast binary front-end for sensor interface using a novel current-mode feedback technique*, *IEEE Proc. Int. Symp. Circuits Syst.* **1** (2001) 360.
- [201] W. Bonivento et al., *Status of the CARIOCA project*, in *Proceedings of the 7th workshop on electronics for LHC experiments*, Stockholm Sweden (2001), <http://lhc-electronics-workshop.web.cern.ch/LHC-electronics-workshop/2001/muon/moraesboniv.pdf>.
- [202] W. Bonivento, *Design and performance of the front-end electronics of the LHCb muon detector*, in *Proceedings of the 11th workshop on electronics for LHC and future experiments*, Heidelberg Germany (2005), <http://www.lecc2005.uni-hd.de/>.
- [203] S. Cadeddu, C. Deplano and A. Lai, *The DIALOG chip in the front-end electronics of the LHCb muon detector*, *IEEE Trans. Nucl. Sci.* **52** (2005) 2726.
- [204] S. Cadeddu et al., *DIALOG and SYNC: a VLSI chip set for timing of the LHCb muon detector*, *IEEE Trans. Nucl. Sci.* **51** (2004) 1961.
- [205] V. Bocci et al., *The services boards system for the LHCb muon detector (equalization, timing and monitoring of the 120k front end channels in the LHCb muon detector)*, *IEEE Nucl. Sci. Symp. Conf. Rec.* **3** (2007) 2134.
- [206] Technical documentation on the ELMB can be found at *Embedded Local Monitor Board home page*, <http://elmb.web.cern.ch/ELMB/ELMBhome.html>.
- [207] G. Felici et al., *The L0 Off Detector Electronics (ODE) for the LHCb muon spectrometer*, in *Proceedings of the 10th Workshop on Electronics for LHC and future experiments*, Boston U.S.A. (2004), <http://lhc-workshop-2004.web.cern.ch/lhc-workshop-2004/>.
- [208] P. Moreira, *QPLL manual v. 1.1*, <http://proj-qpll.web.cern.ch/proj-qpll/images/qpllManual.pdf>, (2005).
- [209] P. Moreira et al., *A radiation tolerant gigabit serializer for LHC data transmission*, in *Proceedings of the 7th Workshop on Electronics for LHC Experiments*, Stockholm Sweden (2001), <http://lhc-electronics-workshop.web.cern.ch/LHC-electronics-workshop/2001/opto/Moreira.pdf>.
- [210] G. Corradi et al., *A novel high-voltage system for a triple GEM detector*, *Nucl. Instrum. Meth. A* **572** (2007) 96.
- [211] G. Sabatino et al., *Cluster size measurements for the LHCb muon system M5R4 MWPCs using cosmic rays*, Note LHCb-2006-011, <http://cdsweb.cern.ch/record/939097>.
- [212] S. de Capua et al., *Study of gas gain uniformity for the LHCb muon system MWPCs using cosmic rays*, Note LHCb-2006-010, <http://cdsweb.cern.ch/record/939085>.
- [213] M. Anelli et al., *Test of a MPWC for the LHCb muon system at the GIF at CERN*, Note LHCb-2005-003, <http://cdsweb.cern.ch/record/815058>.

- [214] LHCb collaboration, R. Antunes-Nobrega et al., *LHCb trigger system technical design report*, CERN-LHCC-2003-031, <http://cdsweb.cern.ch/record/630828>.
- [215] E. Aslanides et al., *The level-0 muon trigger for the LHCb experiment*, *Nucl. Instrum. Meth. A* **579** (2007) 989.
- [216] M. Krasowski et al., *Primary vertex reconstruction*, Note LHCb-2007-011, <http://cdsweb.cern.ch/record/1057577>.
- [217] LHCb collaboration, P.R. Barbosa-Marinho et al., *LHCb online system technical design report*, CERN-LHCC-2001-040, <http://cdsweb.cern.ch/record/545306>.
- [218] LHCb collaboration, *Addendum to the LHCb online system technical design report*, CERN-LHCC-2005-039, <http://cdsweb.cern.ch/record/903611>.
- [219] RD12 collaboration, *Timing, Trigger and Control (TTC) systems for the LHC*, <http://ttc.web.cern.ch/TTC/> and links therein.
- [220] T. Sjöstrand et al., *High-energy physics event generation with PYTHIA 6.1*, *Comput. Phys. Commun.* **135** (2001) 238 [hep-ph/0010017].
- [221] *GEANT detector description and simulation tool*, CERN Program Library long writeup W5013 (1994).
- [222] J. van Tilburg, *Matching VELO tracks with seeding tracks*, Note LHCb-2001-103, <http://cdsweb.cern.ch/record/691686>;
 R. Forty, *Track seeding*, Note LHCb-2001-109, <http://cdsweb.cern.ch/record/691473>;
 R. Hierck, *Track following in LHCb*, Note LHCb-2001-112, <http://cdsweb.cern.ch/record/691752>;
 M. Benayoun and O. Callot, *The forward tracking, an optical model method*, Note LHCb-2002-008, <http://cdsweb.cern.ch/record/684710>;
 Y. Xie, *Short track reconstruction with VELO and TT*, Note LHCb-2003-100, <http://cdsweb.cern.ch/record/684462>;
 O. Callot, M. Kucharczyk and M. Witek, *VELO-TT track reconstruction*, Note LHCb-2007-010, <http://cdsweb.cern.ch/record/1027834>;
 D. Hutchcroft et al., *VELO pattern recognition*, Note LHCb-2007-013, <http://cdsweb.cern.ch/record/1023540>;
 O. Callot and S. Hansmann-Menzemer, *Performance of the forward tracking*, Note LHCb-2007-015, <http://cdsweb.cern.ch/record/1033584>;
 R. Forty and M. Needham, *Updated performance of the T-seeding*, Note LHCb-2007-023, <http://cdsweb.cern.ch/record/1023581>;
 O. Callot, *Downstream pattern recognition*, Note LHCb-2007-026, <http://cdsweb.cern.ch/record/1025827>;
 M. Needham, *Performance of the track matching*, Note LHCb-2007-129, <http://cdsweb.cern.ch/record/1060807>; *Performance of the LHCb track reconstruction software*, Note LHCb-2007-144, <http://cdsweb.cern.ch/record/1080556>.